

SEXUALLY TRANSMITTED DISEASE MORBIDITY REPORT

Requested: 14 days after the end of the reporting period.
Send to: Centers for Disease Control and Prevention (CDC)
Division of STD Prevention M/S B63
1600 Clifton Rd.
Atlanta, Georgia 30333

FORM APPROVED OMB NO. 0920-0011

AREA: DISTRICT: ALL

REPORT PERIOD 01/01/2002 - 12/31/2002

| FOR OFFICIAL USE ONLY | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|-------|-------|-------|------|---------|---------|------------|------------------------|------------|-------------|--------------------------|---------------|------------------|--------------|---------|------------------|-----------------|---------|--|
| (1) | (2-3) | (4-5) | (6-9) | (10) | (11-14) | LN NO. | MALE | PRIVATE SOURCES FEMALE | TOTAL | PUBLIC MALE | CIVILIAN (CLINIC) FEMALE | SOURCES TOTAL | MALE | TOTAL FEMALE | TOTAL | MALE | MILITARY FEMALE | TOTAL | |
| DISEASE | | | | | | (15-16) | (17-21) | (22-26) | (27-31) | (32-36) | (37-41) | (42-46) | (47-51) | (52-56) | (57-61) | (62-66) | (67-71) | (72-76) | |
| SYPHILIS, TOTAL | | | | | | 01 | 186 | 88 | 275 | 102 | 56 | 158 | 288 | 144 | 433 | | | | |
| --Primary | | | | | | 02 | 4 | 1 | 5 | 7 | 0 | 7 | 11 | 1 | 12 | | | | |
| --Secondary | | | | | | 03 | 34 | 6 | 40 | 5 | 2 | 7 | 39 | 8 | 47 | | | | |
| --Early Latent | | | | | | 04 | 83 | 52 | 136 | 42 | 17 | 59 | 125 | 69 | 195 | | | | |
| --Late and Late Latent* | | | | | | 05 | 65 | 29 | 94 | 48 | 37 | 85 | 113 | 66 | 179 | | | | |
| | | | | | | 06 | | | | | | | | | | | | | |
| | | | | | | 07 | | | | | | | | | | | | | |
| GONORRHEA, TOTAL | | | | | | 08 | 910 | 1028 | 1946 | 556 | 218 | 776 | 1466 | 1246 | 2722 | | | | |
| --GPID | | | | | | 09 | XXXXXXXXXX | 9 | 9 | XXXXXXXXXX | 0 | 0 | XXXXXXXXXX | 9 | 9 | XXXXXXXXXX | | | |
| --Ophthalmia Neonatorum | | | | | | 10 | | | | | | | | | | | | | |
| --Other Specified | | | | | | 11 | | | | | | | | | | | | | |
| --Not Specified | | | | | | 12 | | | | | | | | | | | | | |
| --(Antibiotic Resistant GC Total) | | | | | | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| - - - (PPNG) | | | | | | 14 | | | | | | | | | | | | | |
| - - - (Other Resistant Strains) | | | | | | 15 | | | | | | | | | | | | | |
| Chancroid | | | | | | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| Granuloma Inguinale | | | | | | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| Lymphogranuloma Venereum | | | | | | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| OTHER AGENTS AND RELATED DISEASES | | | | | | -- | | | | | | | | | | | | | |
| Chlamydia Trachomatis, Total | | | | | | 19 | 469 | 2751 | 3241 | 2 | 146 | 149 | 471 | 2897 | 3390 | | | | |
| --PID | | | | | | 20 | XXXXXXXXXX | 4 | 4 | XXXXXXXXXX | 0 | 0 | XXXXXXXXXX | 4 | 4 | XXXXXXXXXX | | | |
| --Ophthalmia Neonatorum | | | | | | 21 | | | | | | | | | | | | | |
| --Other Specified | | | | | | 22 | | | | | | | | | | | | | |
| --Not Specified | | | | | | 23 | | | | | | | | | | | | | |
| Herpes Genitalis | | | | | | 24 | 6 | 6 | 12 | 0 | 0 | 0 | 6 | 6 | 12 | | | | |
| Trichomoniasis | | | | | | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| Genital Warts | | | | | | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| Pediculosis | | | | | | 27 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| Scabies | | | | | | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| Genital Molluscum Contagiosum | | | | | | 29 | | | | | | | | | | | | | |
| OTHER DISEASE SYNDROMES | | | | | | -- | | | | | | | | | | | | | |
| Other and Not Specified PID | | | | | | 30 | XXXXXXXXXX | 0 | 0 | XXXXXXXXXX | 0 | 0 | XXXXXXXXXX | 0 | 0 | XXXXXXXXXX | | | |
| Nonspecific Urethritis (Male) | | | | | | 31 | 0 | XXXXXXXXXX | 0 | 1 | XXXXXXXXXX | 1 | 1 | XXXXXXXXXX | 1 | 1 | XXXXXXXXXX | | |
| Nonspecific Vaginitis, Total (Female) | | | | | | 32 | XXXXXXXXXX | | | XXXXXXXXXX | | | XXXXXXXXXX | | | XXXXXXXXXX | | | |
| --Mucopurulent Cervicitis | | | | | | 33 | XXXXXXXXXX | 0 | 0 | XXXXXXXXXX | 0 | 0 | XXXXXXXXXX | 0 | 0 | XXXXXXXXXX | | | |
| Data Edit Control Sum Line | | | | | | 34 | XXXXXXXXXX | XXXXXXXXXX | XXXXXXXXXX | XXXXXXXXXX | XXXXXXXXXX | XXXXXXXXXX | Edit Control Sum | | | Edit Control Sum | | | |

Report of Civilian Cases of Primary & Secondary Syphilis, Gonorrhea, and Chlamydia
by Reporting Source, Sex, Race/Ethnicity, and Age Group

DEPARTMENT OF HEALTH & HUMAN SERVICES
Centers for Disease Control and Prevention (CDC)
Division of STD Prevention
Atlanta, Georgia 30333

Send to: Centers for Disease Control
and Prevention (CDC)
Division of STD Prevention M/S E63
1600 Clifton Rd.,
Atlanta, Georgia 30333

CODE: _____ CITY CODE (10-13)
(2-9) | | | | | | | | | | | | | | | |

DISEASE: 1 - PRIMARY and SECONDARY SYPHILIS (Page 1 of 2)
(1)

AREA: DIST. OF COLUMBIA

CALENDAR YEAR 2002
REQUESTED: January 15

FORM APPROVED
OMB NO. 0920-0011

| AGE GROUP | LINE NO. | SEX: | WHITE (NOT OF HISPANIC ORIGIN) | | BLACK (NOT OF HISPANIC ORIGIN) | | HISPANIC | | ASIAN OR PACIFIC ISLANDER | | AMERICAN INDIAN OR ALASKA NATIVE | | NOT SPECIFIED | | TOTAL | | TOTAL | |
|-----------|----------|---------|--------------------------------|---------|--------------------------------|---------|----------|---------|---------------------------|---------|----------------------------------|---------|---------------|---------|----------|-----------|-------|------|
| | | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | | MALE |
| | (14-16) | (17-22) | (23-28) | (29-34) | (35-40) | (41-46) | (47-52) | (53-58) | (59-64) | (65-70) | (71-76) | (77-82) | (83-88) | (89-95) | (96-102) | (103-110) | | |
| 0-4 | 110 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 111 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 112 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 113 | | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 2 |
| 20-24 | 114 | | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 2 |
| 25-29 | 115 | | 1 | 0 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 1 | 6 | 6 | 6 |
| 30-34 | 116 | | 1 | 0 | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 2 | 9 | 9 | 9 |
| 35-39 | 117 | | 2 | 0 | 5 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 2 | 10 | 10 | 10 |
| 40-44 | 118 | | 4 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 11 | 11 | 11 |
| 45-54 | 119 | | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 4 | 4 | 4 |
| 55-64 | 120 | | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 |
| 0065+ | 121 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 00SUM | 122 | | 9 | 0 | 28 | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 38 | 7 | 45 | 45 | 45 |
| 00ONS | 123 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 124 | | 9 | 0 | 28 | 7 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 38 | 7 | 45 | 45 | 45 |

Report of Civilian Cases of Primary & Secondary Syphilis, Gonorrhea, and Chlamydia
by Reporting Source, Sex, Race/Ethnicity, and Age Group

DEPARTMENT OF HEALTH & HUMAN SERVICES
Centers for Disease Control and Prevention (CDC)
Division of STD Prevention
Atlanta, Georgia 30333

Send to: Centers for Disease Control
and Prevention (CDC)
Division of STD Prevention M/S E63
1600 Clifton Rd.,
Atlanta, Georgia 30333

CODE: _____ CITY CODE (10-13)
(2-9) _____

DISEASE: 1 - PRIMARY and SECONDARY SYPHILIS (Page 2 of 2)
(1)

AREA: DIST. OF COLUMBIA

CALENDAR YEAR 2002

REQUESTED: January 15

FORM APPROVED
OMB NO: 0920-0011

| AGE GROUP | LINE NO. | SEX: | WHITE (NOT OF HISPANIC ORIGIN) | | BLACK (NOT OF HISPANIC ORIGIN) | | HISPANIC | | ASIAN OR PACIFIC ISLANDER | | AMERICAN INDIAN OR ALASKA NATIVE | | NOT SPECIFIED | | TOTAL | | TOTAL | |
|-----------|----------|---------|--------------------------------|---------|--------------------------------|---------|----------|---------|---------------------------|---------|----------------------------------|---------|---------------|---------|----------|-----------|-------|------|
| | | | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | | MALE |
| | (14-16) | (17-22) | (23-28) | (29-34) | (35-40) | (41-46) | (47-52) | (53-58) | (59-64) | (65-70) | (71-76) | (77-82) | (83-88) | (89-95) | (96-102) | (103-110) | | |
| 0-4 | 210 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 211 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 212 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 213 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 214 | | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 6 | 0 | 6 |
| 25-29 | 215 | | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 0 | 3 |
| 30-34 | 216 | | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 |
| 35-39 | 217 | | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 |
| 40-44 | 218 | | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 2 |
| 45-54 | 219 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 55-64 | 220 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0065+ | 221 | | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| 00SUM | 222 | | 1 | 0 | 11 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | 2 | 14 | 0 | 14 |
| 000NS | 223 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 224 | | 1 | 0 | 11 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | 2 | 14 | 0 | 14 |
| GRNTL | 324 | | 10 | 0 | 39 | 9 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 50 | 9 | 59 | 0 | 59 |

STD PROJECT AREA: DIST. OF COLUMBIA
 PATIENT GENDER AND AGE - STAGES OF EARLY SYPHILIS
 FOR DISTRICT: ALL
 PERIOD: 01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| AGE GROUP | PRIMARY SYPHILIS | | | SECONDARY SYPHILIS | | | PRIMARY & SECONDARY | | | EARLY LATENT SYPHILIS | | | TOTAL EARLY SYPHILIS | | |
|-----------|------------------|--------|-------|--------------------|--------|-------|---------------------|--------|-------|-----------------------|--------|-------|----------------------|--------|-------|
| | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL |
| 0-4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 |
| 15-19 | 0 | 0 | 0 | 2 | 0 | 2 | 2 | 0 | 2 | 3 | 7 | 11 | 5 | 7 | 13 |
| 20-24 | 4 | 0 | 4 | 3 | 1 | 4 | 7 | 1 | 8 | 12 | 13 | 25 | 19 | 14 | 33 |
| 25-29 | 2 | 0 | 2 | 5 | 2 | 7 | 7 | 2 | 9 | 14 | 7 | 21 | 21 | 9 | 30 |
| 30-34 | 0 | 1 | 1 | 8 | 1 | 9 | 8 | 2 | 10 | 19 | 5 | 24 | 27 | 7 | 34 |
| 35-39 | 1 | 0 | 1 | 8 | 2 | 10 | 9 | 2 | 11 | 31 | 16 | 47 | 40 | 18 | 58 |
| 40-44 | 3 | 0 | 3 | 10 | 0 | 10 | 13 | 0 | 13 | 16 | 8 | 24 | 29 | 8 | 37 |
| 45-54 | 1 | 0 | 1 | 3 | 0 | 3 | 4 | 0 | 4 | 19 | 10 | 29 | 23 | 10 | 33 |
| 55-64 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 9 | 1 | 10 | 9 | 2 | 11 |
| 65-98 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 2 | 1 | 3 | 2 | 2 | 4 |
| UNK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 11 | 1 | 12 | 39 | 8 | 47 | 50 | 9 | 59 | 125 | 69 | 195 | 175 | 78 | 254 |

NOTE: If gender is entered as Unknown in the morbidity file, the sum of male and female columns will not equal the total column.

Produced on 05/02/2003

STD PROJECT AREA: DIST. OF COLUMBIA

PATIENT GENDER AND AGE - STAGES OF LATE SYPHILIS AND CONGENITAL SYPHILIS

FOR DISTRICT: ALL

PERIOD: 01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| AGE GROUP | LATENT SYPH (UNKNOWN) | | | LATE LATENT SYPHILIS | | | LATE SYPH W/SYMPTOMS | | | NEUROSYPHILIS | | | CONGENITAL SYPHILIS | | |
|-----------|-----------------------|--------|-------|----------------------|--------|-------|----------------------|--------|-------|---------------|--------|-------|---------------------|--------|-------|
| | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL |
| 0-4 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 5-9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 3 | 3 | 3 | 4 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25-29 | 2 | 2 | 4 | 8 | 3 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30-34 | 7 | 8 | 15 | 11 | 3 | 14 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| 35-39 | 11 | 9 | 20 | 11 | 11 | 22 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 0 |
| 40-44 | 6 | 4 | 10 | 12 | 7 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 45-54 | 10 | 3 | 13 | 19 | 1 | 20 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| 55-64 | 1 | 1 | 2 | 2 | 0 | 2 | 0 | 0 | 0 | 3 | 0 | 3 | 0 | 0 | 0 |
| 65-98 | 1 | 2 | 3 | 2 | 2 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| UNK | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 38 | 32 | 70 | 69 | 32 | 101 | 0 | 0 | 0 | 6 | 2 | 8 | 0 | 1 | 1 |

NOTE: If gender is entered as Unknown in the morbidity file, the sum of male and female columns will not equal the total column.

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: PRIMARY SYPHILIS

PATIENT'S GENDER AND RACE

BY COUNTY FOR DISTRICT ALL

PERIOD: 01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| COUNTY | WHITE | | AFRICAN AMERICAN | | HISPANIC | | ASIAN | | AM. INDIAN | | OTHER/UNK | | TOTAL | | |
|-----------------|-------|--------|------------------|--------|----------|--------|-------|--------|------------|--------|-----------|--------|-------|--------|---------|
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | UNKNOWN |
| ALEXANDRIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANNE ARUNDEL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARLINGTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BALTIMORE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FAIRFAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MARYLAND | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MONTGOMERY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OOJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PRINCE GEORGE'S | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| VIRGINIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARD 001 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| WARD 002 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| WARD 003 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARD 004 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| WARD 005 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| WARD 006 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARD 007 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| WARD 008 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| WARD UNK DC RES | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 1 | 0 | 10 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 1 | 0 |

STD PROJECT AREA: DIST. OF COLUMBIA
DISEASE: SECONDARY SYPHILIS
PATIENT'S GENDER AND RACE
BY COUNTY FOR DISTRICT ALL
PERIOD: 01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| COUNTY | WHITE | | AFRICAN AMERICAN | | HISPANIC | | ASIAN | | AM. INDIAN | | OTHER/UNK | | TOTAL | | |
|-----------------|-------|--------|------------------|--------|----------|--------|-------|--------|------------|--------|-----------|--------|-------|--------|---------|
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | UNKNOWN |
| ALEXANDRIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANNE ARUNDEL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARLINGTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BALTIMORE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FAIRFAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MARYLAND | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MONTGOMERY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OOJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PRINCE GEORGE'S | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| VIRGINIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARD 001 | 3 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 0 |
| WARD 002 | 0 | 0 | 7 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 0 |
| WARD 003 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| WARD 004 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARD 005 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| WARD 006 | 2 | 0 | 6 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 3 | 0 |
| WARD 007 | 1 | 0 | 5 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 2 | 0 |
| WARD 008 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 |
| WARD UNK DC RES | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| TOTAL | 9 | 0 | 29 | 8 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 39 | 8 | 0 |

STD PROJECT AREA: DIST. OF COLUMBIA
 DISEASE: PRIMARY & SECONDARY SYPHILIS
 PATIENT'S GENDER AND RACE
 BY COUNTY FOR DISTRICT ALL
 PERIOD: 01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| COUNTY | WHITE | | AFRICAN AMERICAN | | HISPANIC | | ASIAN | | AM. INDIAN | | OTHER/UNK | | TOTAL | | |
|-----------------|-------|--------|------------------|--------|----------|--------|-------|--------|------------|--------|-----------|--------|-------|--------|---------|
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | UNKNOWN |
| ALEXANDRIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANNE ARUNDEL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARLINGTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BALTIMORE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FAIRFAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MARYLAND | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MONTGOMERY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OOJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PRINCE GEORGE'S | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| VIRGINIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARD 001 | 4 | 0 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | 0 | 0 |
| WARD 002 | 0 | 0 | 8 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 0 |
| WARD 003 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| WARD 004 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| WARD 005 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |
| WARD 006 | 2 | 0 | 6 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 3 | 0 |
| WARD 007 | 1 | 0 | 6 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 2 | 0 |
| WARD 008 | 0 | 0 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 0 |
| WARD UNK DC RES | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| TOTAL | 10 | 0 | 39 | 9 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 | 9 | 0 |

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: EARLY LATENT SYPHILIS

PATIENT'S GENDER AND RACE

BY COUNTY FOR DISTRICT ALL

PERIOD: 01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| COUNTY | WHITE | | AFRICAN AMERICAN | | HISPANIC | | ASIAN | | AM. INDIAN | | OTHER/UNK | | TOTAL | | |
|-----------------|-------|--------|------------------|--------|----------|--------|-------|--------|------------|--------|-----------|--------|-------|--------|---------|
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | UNKNOWN |
| ALEXANDRIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANNE ARUNDEL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARLINGTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BALTIMORE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FAIRFAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MARYLAND | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| MONTGOMERY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OOJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PRINCE GEORGE'S | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| VIRGINIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARD 001 | 3 | 0 | 13 | 6 | 3 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 20 | 7 | 0 |
| WARD 002 | 7 | 1 | 14 | 5 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 24 | 6 | 0 |
| WARD 003 | 0 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |
| WARD 004 | 0 | 0 | 8 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 3 | 0 |
| WARD 005 | 1 | 0 | 22 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 23 | 14 | 0 |
| WARD 006 | 4 | 0 | 16 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 15 | 0 |
| WARD 007 | 1 | 0 | 8 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 9 | 1 |
| WARD 008 | 0 | 0 | 16 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 14 | 0 |
| WARD UNK DC RES | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| TOTAL | 16 | 1 | 101 | 66 | 6 | 2 | 1 | 0 | 0 | 0 | 1 | 0 | 125 | 69 | 1 |

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: TOTAL EARLY SYPHILIS

PATIENT'S GENDER AND RACE

BY COUNTY FOR DISTRICT ALL

PERIOD: 01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| COUNTY | WHITE | | AFRICAN AMERICAN | | HISPANIC | | ASIAN | | AM. INDIAN | | OTHER/UNK | | TOTAL | | | |
|-----------------|-------|--------|------------------|--------|----------|--------|-------|--------|------------|--------|-----------|--------|-------|--------|---------|---|
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | UNKNOWN | |
| ALEXANDRIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANNE ARUNDEL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARLINGTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BALTIMORE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FAIRFAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MARYLAND | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| MONTGOMERY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| COJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PRINCE GEORGE'S | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| VIRGINIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARD 001 | 7 | 0 | 21 | 6 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 32 | 7 | 0 |
| WARD 002 | 7 | 1 | 22 | 5 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 33 | 6 | 0 |
| WARD 003 | 3 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 0 |
| WARD 004 | 0 | 0 | 11 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 3 | 0 |
| WARD 005 | 1 | 0 | 26 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 27 | 14 | 0 |
| WARD 006 | 6 | 0 | 22 | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 28 | 18 | 0 |
| WARD 007 | 2 | 0 | 14 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 11 | 1 |
| WARD 008 | 0 | 0 | 18 | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 | 17 | 0 |
| WARD UNK DC RES | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 |
| TOTAL | 26 | 1 | 140 | 75 | 7 | 2 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 175 | 78 | 1 |

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: TOTAL LATE SYPHILIS

PATIENT'S GENDER AND RACE

BY COUNTY FOR DISTRICT ALL

PERIOD: 01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| COUNTY | WHITE | | AFRICAN AMERICAN | | HISPANIC | | ASIAN | | AM. INDIAN | | OTHER/UNK | | TOTAL | | |
|-----------------|-------|--------|------------------|--------|----------|--------|-------|--------|------------|--------|-----------|--------|-------|--------|---------|
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | UNKNOWN |
| ALEXANDRIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANNE ARUNDEL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARLINGTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BALTIMORE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FAIRFAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MARYLAND | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MONTGOMERY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OOJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PRINCE GEORGE'S | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| VIRGINIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARD 001 | 0 | 1 | 12 | 4 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 14 | 7 | 0 |
| WARD 002 | 2 | 0 | 13 | 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 | 4 | 0 |
| WARD 003 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| WARD 004 | 0 | 0 | 8 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 10 | 0 |
| WARD 005 | 1 | 0 | 26 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 27 | 9 | 0 |
| WARD 006 | 1 | 1 | 18 | 12 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 13 | 0 |
| WARD 007 | 0 | 0 | 10 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 12 | 0 |
| WARD 008 | 0 | 0 | 15 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 8 | 0 |
| WARD UNK DC RES | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 2 | 0 |
| TOTAL | 4 | 2 | 105 | 61 | 4 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 113 | 66 | 0 |

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: TOTAL SYPHILIS

PATIENT'S GENDER AND RACE

BY COUNTY FOR DISTRICT ALL

PERIOD: 01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| COUNTY | WHITE | | AFRICAN AMERICAN | | HISPANIC | | ASIAN | | AM. INDIAN | | OTHER/UNK | | TOTAL | | |
|-----------------|-------|--------|------------------|--------|----------|--------|-------|--------|------------|--------|-----------|--------|-------|--------|---------|
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | UNKNOWN |
| ALEXANDRIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANNE ARUNDEL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARLINGTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BALTIMORE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FAIRFAX | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MARYLAND | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| MONTGOMERY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| COJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PRINCE GEORGE'S | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| VIRGINIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WARD 001 | 7 | 1 | 33 | 10 | 5 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 46 | 14 | 0 |
| WARD 002 | 9 | 1 | 35 | 9 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 49 | 10 | 0 |
| WARD 003 | 3 | 0 | 3 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 1 | 0 |
| WARD 004 | 0 | 0 | 19 | 12 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 19 | 13 | 0 |
| WARD 005 | 2 | 0 | 52 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 54 | 23 | 0 |
| WARD 006 | 7 | 1 | 40 | 31 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 48 | 32 | 0 |
| WARD 007 | 2 | 0 | 24 | 23 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 26 | 23 | 1 |
| WARD 008 | 0 | 0 | 33 | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 33 | 25 | 0 |
| WARD UNK DC RES | 0 | 0 | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 4 | 0 |
| TOTAL | 30 | 3 | 245 | 137 | 11 | 4 | 1 | 0 | 0 | 0 | 1 | 1 | 288 | 145 | 1 |

STD PROJECT AREA: DIST. OF COLUMBIA

SUMMARY OF SYPHILIS CASES

BY HEALTH DISTRICT

PERIOD: 01/01/2002 TO: 12/31/2002 (Based on DATE REPORTED)

| DISTRICT | PRIMARY | SECONDARY | EARLY LATENT | TOTAL EARLY | LL UNK. DUR. | LATE LATENT | LL W/SYMPOMS | NEURO- SYPHILIS | CONGENITAL | TOTAL |
|----------|---------|-----------|-----------------|----------------|-----------------|----------------|-----------------|--------------------|------------|-------|
| 00 | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| 01 | 3 | 9 | 29 | 41 | 5 | 15 | 0 | 1 | 0 | 62 |
| 02 | 1 | 8 | 29 | 38 | 4 | 13 | 0 | 2 | 0 | 57 |
| 03 | 0 | 3 | 4 | 7 | 1 | 0 | 0 | 0 | 0 | 8 |
| 04 | 3 | 0 | 10 | 13 | 8 | 8 | 0 | 2 | 0 | 31 |
| 05 | 0 | 2 | 34 | 36 | 13 | 19 | 0 | 1 | 0 | 69 |
| 06 | 0 | 11 | 33 | 44 | 12 | 21 | 0 | 0 | 1 | 78 |
| 07 | 1 | 8 | 19 | 28 | 12 | 10 | 0 | 1 | 0 | 51 |
| 08 | 1 | 3 | 29 | 33 | 10 | 12 | 0 | 1 | 0 | 56 |
| 88 | 2 | 3 | 7 | 12 | 5 | 3 | 0 | 0 | 0 | 20 |
| TOTAL | 12 | 47 | 195 | 254 | 70 | 101 | 0 | 8 | 1 | 434 |

STD PROJECT AREA: DIST. OF COLUMBIA

SUMMARY OF OTHER STD CASES

BY HEALTH DISTRICT

PERIOD: 01/01/2002 TO: 12/31/2002 (Based on DATE REPORTED)

| DISTRICT | CHAN- CROID | CHLA- MYDIA | CT PID | GC GC | GC PID | RESIST. GC | NGU | MPC | PID | G.I. | LGV | WARTS | HERPES | HIV | AIDS |
|--------------|----------------|----------------|-----------|-------------|-----------|---------------|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|
| 00 | 0 | 51 | 0 | 29 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 01 | 0 | 297 | 1 | 275 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 |
| 02 | 0 | 198 | 0 | 217 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| 03 | 0 | 24 | 0 | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 04 | 0 | 238 | 0 | 206 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| 05 | 0 | 367 | 1 | 407 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 0 |
| 06 | 0 | 304 | 0 | 299 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 0 |
| 07 | 0 | 382 | 0 | 387 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 |
| 08 | 0 | 489 | 1 | 488 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 |
| 88 | 0 | 1036 | 1 | 380 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | 3 | 0 |
| TOTAL | 0 | 3386 | 4 | 2713 | 9 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 12 | 47 | 0 |

STD PROJECT AREA: DIST. OF COLUMBIA

PRIMARY SYPHILIS

RACE AND GENDER BY METHOD OF CASE DETECTION

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | METHOD OF CASE DETECTION | | | | | | | | | | | TOTAL | |
|-------------------|--------------------------|---------|---------------------|----------|---------------|--------------------|------------------|---------|--------------------|----------------|-------------------|-------|----|
| | Provider Referral | Cluster | Patient Referral | Prenatal | Deliv- ery | Instit. Screen. | Comm. Screen. | Reactor | Provider Report | Volun- teer | Other/ Unknown | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| AFR AMER FEMALE | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| AFR AMER MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 10 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL FEMALE | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 0 | 0 | 0 | 0 | 11 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 11 | 0 | 0 | 0 | 0 | 12 |
| PERCENT | 0% | 0% | 8% | 0% | 0% | 0% | 0% | 92% | 0% | 0% | 0% | 0% | |

STD PROJECT AREA: DIST. OF COLUMBIA

SECONDARY SYPHILIS

RACE AND GENDER BY METHOD OF CASE DETECTION

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | METHOD OF CASE DETECTION | | | | | | | | | | | TOTAL | |
|-------------------|--------------------------|-----------------|------------------|----------|-----------|-----------------|---------------|---------|-----------------|------------|---------------|-------|----|
| | Provider Referral | Patient Cluster | Patient Referral | Prenatal | Deliv-ery | Instit. Screen. | Comm. Screen. | Reactor | Provider Report | Volun-teer | Other/Unknown | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 1 | 0 | 0 | 0 | 9 |
| AFR AMER FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 0 | 0 | 0 | 8 |
| AFR AMER MALE | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 16 | 6 | 5 | 0 | 0 | 29 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL FEMALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 0 | 0 | 0 | 8 |
| TOTAL MALE | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 24 | 7 | 5 | 0 | 0 | 39 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 28 | 9 | 5 | 0 | 0 | 47 |
| PERCENT | 9% | 0% | 0% | 0% | 0% | 0% | 2% | 60% | 19% | 11% | 0% | 0% | |

STD PROJECT AREA: DIST. OF COLUMBIA

PRIMARY & SECONDARY SYPHILIS

RACE AND GENDER BY METHOD OF CASE DETECTION

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | METHOD OF CASE DETECTION | | | | | | | | | | | TOTAL | |
|-------------------|--------------------------|-----------------|------------------|----------|-----------|-----------------|---------------|---------|-----------------|------------|---------------|-------|----|
| | Provider Referral | Patient Cluster | Patient Referral | Prenatal | Deliv-ery | Instit. Screen. | Comm. Screen. | Reactor | Provider Report | Volun-teer | Other/Unknown | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 1 | 0 | 0 | 10 |
| AFR AMER FEMALE | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 0 | 0 | 9 |
| AFR AMER MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 26 | 6 | 5 | 0 | 39 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL FEMALE | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 0 | 0 | 9 |
| TOTAL MALE | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 35 | 7 | 5 | 0 | 50 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 39 | 9 | 5 | 0 | 59 |
| PERCENT | 7% | 0% | 2% | 0% | 0% | 0% | 0% | 2% | 66% | 15% | 8% | 0% | |

STD PROJECT AREA: DIST. OF COLUMBIA

EARLY LATENT SYPHILIS

RACE AND GENDER BY METHOD OF CASE DETECTION

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | METHOD OF CASE DETECTION | | | | | | | | | | | TOTAL |
|-------------------|--------------------------|-----------------|------------------|----------|-----------|-----------------|---------------|---------|-----------------|------------|---------------|-------|
| | Provider Referral | Patient Cluster | Patient Referral | Prenatal | Deliv-ery | Instit. Screen. | Comm. Screen. | Reactor | Provider Report | Volun-teer | Other/Unknown | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| WHITE MALE | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 13 | 1 | 0 | 0 | 16 |
| AFR AMER FEMALE | 2 | 0 | 3 | 1 | 1 | 0 | 1 | 49 | 9 | 0 | 0 | 66 |
| AFR AMER MALE | 10 | 2 | 11 | 0 | 0 | 0 | 0 | 67 | 8 | 3 | 0 | 101 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| HISPANIC MALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 6 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| UNKNOWN GENDER | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL FEMALE | 2 | 0 | 3 | 1 | 1 | 0 | 1 | 50 | 10 | 1 | 0 | 69 |
| TOTAL MALE | 14 | 2 | 13 | 0 | 0 | 0 | 0 | 84 | 9 | 3 | 0 | 125 |
| TOTAL UNKNOWN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL | 17 | 2 | 16 | 1 | 1 | 0 | 1 | 134 | 19 | 4 | 0 | 195 |
| PERCENT | 9% | 1% | 8% | 1% | 1% | 0% | 1% | 69% | 10% | 2% | 0% | |

STD PROJECT AREA: DIST. OF COLUMBIA

TOTAL EARLY SYPHILIS

RACE AND GENDER BY METHOD OF CASE DETECTION

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | METHOD OF CASE DETECTION | | | | | | | | | | | TOTAL |
|-------------------|--------------------------|-----------------|------------------|----------|------------|-----------------|---------------|---------|-----------------|-------------|----------------|-------|
| | Provider Referral | Patient Cluster | Patient Referral | Prenatal | Deliv- ery | Instit. Screen. | Comm. Screen. | Reactor | Provider Report | Volun- teer | Other/ Unknown | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| WHITE MALE | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 21 | 2 | 0 | 0 | 26 |
| AFR AMER FEMALE | 4 | 0 | 4 | 1 | 1 | 0 | 1 | 53 | 11 | 0 | 0 | 75 |
| AFR AMER MALE | 11 | 2 | 11 | 0 | 0 | 0 | 1 | 93 | 14 | 8 | 0 | 140 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 |
| HISPANIC MALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 7 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| UNKNOWN GENDER | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL FEMALE | 4 | 0 | 4 | 1 | 1 | 0 | 1 | 54 | 12 | 1 | 0 | 78 |
| TOTAL MALE | 16 | 2 | 13 | 0 | 0 | 0 | 1 | 119 | 16 | 8 | 0 | 175 |
| TOTAL UNKNOWN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL | 21 | 2 | 17 | 1 | 1 | 0 | 2 | 173 | 28 | 9 | 0 | 254 |
| PERCENT | 8% | 1% | 7% | 0% | 0% | 0% | 1% | 68% | 11% | 4% | 0% | |

STD PROJECT AREA: DIST. OF COLUMBIA

TOTAL LATE SYPHILIS

RACE AND GENDER BY METHOD OF CASE DETECTION

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | METHOD OF CASE DETECTION | | | | | | | | | | | TOTAL |
|-------------------|--------------------------|-----------------|------------------|----------|-----------|-----------------|---------------|---------|-----------------|------------|---------------|-------|
| | Provider Referral | Patient Cluster | Patient Referral | Prenatal | Deliv-ery | Instit. Screen. | Comm. Screen. | Reactor | Provider Report | Volun-teer | Other/Unknown | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 |
| WHITE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 4 |
| AFR AMER FEMALE | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 51 | 6 | 0 | 0 | 61 |
| AFR AMER MALE | 4 | 0 | 3 | 0 | 0 | 2 | 0 | 90 | 4 | 2 | 0 | 105 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 4 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL FEMALE | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 56 | 6 | 0 | 0 | 66 |
| TOTAL MALE | 4 | 0 | 3 | 0 | 0 | 2 | 0 | 98 | 4 | 2 | 0 | 113 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 6 | 0 | 5 | 0 | 0 | 2 | 0 | 154 | 10 | 2 | 0 | 179 |
| PERCENT | 3% | 0% | 3% | 0% | 0% | 1% | 0% | 86% | 6% | 1% | 0% | |

STD PROJECT AREA: DIST. OF COLUMBIA

TOTAL SYPHILIS

RACE AND GENDER BY METHOD OF CASE DETECTION

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | METHOD OF CASE DETECTION | | | | | | | | | | | TOTAL |
|-------------------|--------------------------|---------|------------------|----------|-----------|-----------------|---------------|---------|-----------------|------------|---------------|-------|
| | Provider Referral | Cluster | Patient Referral | Prenatal | Deliv-ery | Instit. Screen. | Comm. Screen. | Reactor | Provider Report | Volun-teer | Other/Unknown | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 3 |
| WHITE MALE | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 25 | 2 | 0 | 0 | 30 |
| AFR AMER FEMALE | 6 | 0 | 6 | 1 | 2 | 0 | 1 | 104 | 17 | 0 | 0 | 137 |
| AFR AMER MALE | 15 | 2 | 14 | 0 | 0 | 2 | 1 | 183 | 18 | 10 | 0 | 245 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 4 |
| HISPANIC MALE | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 0 | 0 | 0 | 11 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| UNKNOWN MALE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| UNKNOWN GENDER | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL FEMALE | 6 | 0 | 6 | 1 | 2 | 0 | 1 | 110 | 18 | 1 | 0 | 145 |
| TOTAL MALE | 20 | 2 | 16 | 0 | 0 | 2 | 1 | 217 | 20 | 10 | 0 | 288 |
| TOTAL UNKNOWN | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL | 27 | 2 | 22 | 1 | 2 | 2 | 2 | 327 | 38 | 11 | 0 | 434 |
| PERCENT | 6% | 0% | 5% | 0% | 0% | 0% | 0% | 75% | 9% | 3% | 0% | |

Produced on: 05/02/2003

STD PROJECT AREA: DIST. OF COLUMBIA

Page 1 of 2

PRIMARY SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | TOTAL | |
|-------------------|------------------------------------|------------|----------------|--------------|------------|----|--------------|----------|-------------|----|-------|----|
| | HIV Test Site | STD Clinic | Drug RX Clinic | Family Plan. | Prenat/ OB | TB | Other Clinic | PMD/ HMO | Hosp (Inpt) | ER | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| AFR AMER FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| AFR AMER MALE | 0 | 7 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 10 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| TOTAL MALE | 0 | 7 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 11 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 7 | 0 | 0 | 0 | 0 | 1 | 4 | 0 | 0 | 0 | 12 |
| PERCENT | 0% | 58% | 0% | 0% | 0% | 0% | 8% | 33% | 0% | 0% | 0% | |

Produced on: 05/02/2003

PRIMARY SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | TOTAL | |
|-------------------|------------------------------------|-----|------------|----------|----------|-----------|-----------------------|----------|----------------|---------|-------|----|
| | Corr. Fac. | Lab | Blood Bank | Delivery | Prenatal | Job Corps | Indian Health Service | Military | Other Provider | Unknown | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| AFR AMER FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| AFR AMER MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| PERCENT | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | |

STD PROJECT AREA: DIST. OF COLUMBIA

Page 1 of 2

SECONDARY SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | TOTAL | |
|-------------------|------------------------------------|------------|----------------|--------------|------------|----|--------------|----------|-------------|----|-------|----|
| | HIV Test Site | STD Clinic | Drug RX Clinic | Family Plan. | Prenat/ OB | TB | Other Clinic | PMD/ HMO | Hosp (Inpt) | ER | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 7 | 0 | 0 | 0 | 9 |
| AFR AMER FEMALE | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 0 | 0 | 8 |
| AFR AMER MALE | 0 | 4 | 0 | 0 | 0 | 0 | 7 | 8 | 10 | 0 | 0 | 29 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL FEMALE | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 0 | 0 | 8 |
| TOTAL MALE | 0 | 5 | 0 | 0 | 0 | 0 | 8 | 16 | 10 | 0 | 0 | 39 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 7 | 0 | 0 | 0 | 0 | 9 | 18 | 13 | 0 | 0 | 47 |
| PERCENT | 0% | 15% | 0% | 0% | 0% | 0% | 19% | 38% | 28% | 0% | 0% | |

Produced on: 05/02/2003

STD PROJECT AREA: DIST. OF COLUMBIA

Page 2 of 2

SECONDARY SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | TOTAL | |
|-------------------|------------------------------------|-----|------------|----------|----------|-----------|-----------------------|----------|----------------|---------|-------|----|
| | Corr. Fac. | Lab | Blood Bank | Delivery | Prenatal | Job Corps | Indian Health Service | Military | Other Provider | Unknown | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| AFR AMER FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| AFR AMER MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 29 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| TOTAL MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 39 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 47 |
| PERCENT | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | |

STD PROJECT AREA: DIST. OF COLUMBIA

Page 1 of 2

PRIMARY & SECONDARY SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | TOTAL | |
|-------------------|------------------------------------|------------|----------------|--------------|------------|----|--------------|----------|-------------|----|-------|----|
| | HIV Test Site | STD Clinic | Drug RX Clinic | Family Plan. | Prenat/ OB | TB | Other Clinic | PMD/ HMO | Hosp (Inpt) | ER | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 8 | 0 | 0 | 0 | 10 |
| AFR AMER FEMALE | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 3 | 3 | 0 | 0 | 9 |
| AFR AMER MALE | 0 | 11 | 0 | 0 | 0 | 0 | 8 | 10 | 10 | 0 | 0 | 39 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL FEMALE | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 3 | 3 | 0 | 0 | 9 |
| TOTAL MALE | 0 | 12 | 0 | 0 | 0 | 0 | 9 | 19 | 10 | 0 | 0 | 50 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 14 | 0 | 0 | 0 | 0 | 10 | 22 | 13 | 0 | 0 | 59 |
| PERCENT | 0% | 24% | 0% | 0% | 0% | 0% | 17% | 37% | 22% | 0% | 0% | |

Produced on: 05/02/2003

STD PROJECT AREA: DIST. OF COLUMBIA

Page 2 of 2

PRIMARY & SECONDARY SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | | TOTAL |
|-------------------|------------------------------------|-----|------------|----------|----------|-----------|-----------------------|----------|----------------|---------|----|-------|
| | Corr. Fac. | Lab | Blood Bank | Delivery | Prenatal | Job Corps | Indian Health Service | Military | Other Provider | Unknown | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| AFR AMER FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| AFR AMER MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 39 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| TOTAL MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 59 |
| PERCENT | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | |

Produced on: 05/02/2003

STD PROJECT AREA: DIST. OF COLUMBIA

Page 1 of 2

EARLY LATENT SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | | TOTAL |
|-------------------|------------------------------------|------------|----------------|--------------|------------|----|--------------|----------|-------------|----|--|-------|
| | HIV Test Site | STD Clinic | Drug RX Clinic | Family Plan. | Prenat/ OB | TB | Other Clinic | PMD/ HMO | Hosp (Inpt) | ER | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | | 1 |
| WHITE MALE | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 9 | 3 | 0 | | 16 |
| AFR AMER FEMALE | 0 | 17 | 0 | 0 | 0 | 0 | 14 | 11 | 17 | 0 | | 66 |
| AFR AMER MALE | 0 | 39 | 0 | 1 | 0 | 0 | 13 | 24 | 16 | 0 | | 101 |
| HISPANIC FEMALE | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | | 2 |
| HISPANIC MALE | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 0 | | 6 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | 1 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | | 1 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | 1 |
| TOTAL FEMALE | 0 | 17 | 0 | 1 | 0 | 0 | 15 | 12 | 17 | 0 | | 69 |
| TOTAL MALE | 0 | 42 | 0 | 1 | 0 | 0 | 16 | 35 | 23 | 0 | | 125 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | 1 |
| TOTAL | 0 | 59 | 0 | 2 | 0 | 0 | 31 | 47 | 41 | 0 | | 195 |
| PERCENT | 0% | 30% | 0% | 1% | 0% | 0% | 16% | 24% | 21% | 0% | | |

Produced on: 05/02/2003

STD PROJECT AREA: DIST. OF COLUMBIA

Page 2 of 2

EARLY LATENT SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | | TOTAL |
|-------------------|------------------------------------|-----|------------|----------|----------|-----------|-----------------------|----------|----------------|---------|----|-------|
| | Corr. Fac. | Lab | Blood Bank | Delivery | Prenatal | Job Corps | Indian Health Service | Military | Other Provider | Unknown | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| WHITE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16 |
| AFR AMER FEMALE | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 66 |
| AFR AMER MALE | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 101 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL FEMALE | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 69 |
| TOTAL MALE | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 125 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 195 |
| PERCENT | 8% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | |

STD PROJECT AREA: DIST. OF COLUMBIA

Page 1 of 2

TOTAL EARLY SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | | TOTAL |
|-------------------|------------------------------------|------------|----------------|--------------|------------|----|--------------|----------|-------------|----|--|-------|
| | HIV Test Site | STD Clinic | Drug RX Clinic | Family Plan. | Prenat/ OB | TB | Other Clinic | PMD/ HMO | Hosp (Inpt) | ER | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | | 1 |
| WHITE MALE | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 17 | 3 | 0 | | 26 |
| AFR AMER FEMALE | 0 | 19 | 0 | 0 | 0 | 0 | 15 | 14 | 20 | 0 | | 75 |
| AFR AMER MALE | 0 | 50 | 0 | 1 | 0 | 0 | 21 | 34 | 26 | 0 | | 140 |
| HISPANIC FEMALE | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | | 2 |
| HISPANIC MALE | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 0 | | 7 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | 1 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | | 1 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | 1 |
| TOTAL FEMALE | 0 | 19 | 0 | 1 | 0 | 0 | 16 | 15 | 20 | 0 | | 78 |
| TOTAL MALE | 0 | 54 | 0 | 1 | 0 | 0 | 25 | 54 | 33 | 0 | | 175 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | | 1 |
| TOTAL | 0 | 73 | 0 | 2 | 0 | 0 | 41 | 69 | 54 | 0 | | 254 |
| PERCENT | 0% | 29% | 0% | 1% | 0% | 0% | 16% | 27% | 21% | 0% | | |

Produced on: 05/02/2003

STD PROJECT AREA: DIST. OF COLUMBIA

Page 2 of 2

TOTAL EARLY SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | TOTAL | |
|-------------------|------------------------------------|-----|------------|----------|----------|-----------|-----------------------|----------|----------------|---------|-------|-----|
| | Corr. Fac. | Lab | Blood Bank | Delivery | Prenatal | Job Corps | Indian Health Service | Military | Other Provider | Unknown | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| WHITE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 26 |
| AFR AMER FEMALE | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 75 |
| AFR AMER MALE | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 140 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL FEMALE | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 78 |
| TOTAL MALE | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 175 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 254 |
| PERCENT | 6% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | |

STD PROJECT AREA: DIST. OF COLUMBIA

Page 1 of 2

TOTAL LATE SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | | TOTAL |
|-------------------|------------------------------------|------------|----------------|--------------|------------|----|--------------|----------|-------------|----|----|-------|
| | HIV Test Site | STD Clinic | Drug RX Clinic | Family Plan. | Prenat/ OB | TB | Other Clinic | PMD/ HMO | Hosp (Inpt) | ER | | |
| WHITE FEMALE | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| WHITE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 4 |
| AFR AMER FEMALE | 0 | 35 | 0 | 0 | 0 | 0 | 2 | 1 | 17 | 0 | 0 | 61 |
| AFR AMER MALE | 0 | 45 | 0 | 1 | 0 | 0 | 8 | 9 | 22 | 0 | 0 | 105 |
| HISPANIC FEMALE | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| HISPANIC MALE | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL FEMALE | 0 | 37 | 0 | 2 | 0 | 0 | 2 | 2 | 17 | 0 | 0 | 66 |
| TOTAL MALE | 0 | 48 | 0 | 1 | 0 | 0 | 8 | 13 | 23 | 0 | 0 | 113 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 85 | 0 | 3 | 0 | 0 | 10 | 15 | 40 | 0 | 0 | 179 |
| PERCENT | 0% | 47% | 0% | 2% | 0% | 0% | 6% | 8% | 22% | 0% | 0% | |

Produced on: 05/02/2003

STD PROJECT AREA: DIST. OF COLUMBIA

TOTAL LATE SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | | TOTAL |
|-------------------|------------------------------------|-----|------------|----------|----------|-----------|-----------------------|----------|----------------|---------|----|-------|
| | Corr. Fac. | Lab | Blood Bank | Delivery | Prenatal | Job Corps | Indian Health Service | Military | Other Provider | Unknown | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| WHITE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| AFR AMER FEMALE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 61 |
| AFR AMER MALE | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 105 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL FEMALE | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 66 |
| TOTAL MALE | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 113 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 179 |
| PERCENT | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 1% | |

STD PROJECT AREA: DIST. OF COLUMBIA

Page 1 of 2

TOTAL SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | TOTAL |
|-------------------|------------------------------------|------------|----------------|--------------|------------|----|--------------|----------|-------------|----|-------|
| | HIV Test Site | STD Clinic | Drug RX Clinic | Family Plan. | Prenat/ OB | TB | Other Clinic | PMD/ HMO | Hosp (Inpt) | ER | |
| WHITE FEMALE | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 3 |
| WHITE MALE | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 21 | 3 | 0 | 30 |
| AFR AMER FEMALE | 0 | 54 | 0 | 0 | 0 | 0 | 17 | 15 | 38 | 0 | 137 |
| AFR AMER MALE | 0 | 95 | 0 | 2 | 0 | 0 | 29 | 43 | 48 | 0 | 245 |
| HISPANIC FEMALE | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 1 | 0 | 0 | 4 |
| HISPANIC MALE | 0 | 4 | 0 | 0 | 0 | 0 | 1 | 2 | 4 | 0 | 11 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| TOTAL FEMALE | 0 | 56 | 0 | 3 | 0 | 0 | 18 | 17 | 38 | 0 | 145 |
| TOTAL MALE | 0 | 102 | 0 | 2 | 0 | 0 | 33 | 67 | 56 | 0 | 288 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| TOTAL | 0 | 158 | 0 | 5 | 0 | 0 | 51 | 84 | 95 | 0 | 434 |
| PERCENT | 0% | 36% | 0% | 1% | 0% | 0% | 12% | 19% | 22% | 0% | |

Produced on: 05/02/2003

TOTAL SYPHILIS

RACE AND GENDER BY INFORMATION SOURCE (PROVIDER TYPE)

DISTRICT: ALL

01/01/2002 - 12/31/2002 (Based on DATE REPORTED)

| RACE/GENDER | INFORMATION SOURCE (PROVIDER TYPE) | | | | | | | | | | TOTAL | |
|-------------------|------------------------------------|-----|------------|----------|----------|-----------|-----------------------|----------|----------------|---------|-------|-----|
| | Corr. Fac. | Lab | Blood Bank | Delivery | Prenatal | Job Corps | Indian Health Service | Military | Other Provider | Unknown | | |
| WHITE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| WHITE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 30 |
| AFR AMER FEMALE | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 137 |
| AFR AMER MALE | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 245 |
| HISPANIC FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| HISPANIC MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| ASIAN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| AMER. IND. FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMER. IND. MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| UNKNOWN FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| UNKNOWN MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| UNKNOWN GENDER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL FEMALE | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 145 |
| TOTAL MALE | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 288 |
| TOTAL UNKNOWN | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| TOTAL | 40 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 434 |
| PERCENT | 9% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | |

STD PROJECT AREA: DIST. OF COLUMBIA
 DISEASE: PRIMARY SYPHILIS
 PERIOD: DATE REPORTED - 01/01/2002 - 12/31/2002
 FOR: DISTRICT: ALL
 REPORT SOURCE: STD CLINICS / STD PROGRAM

| AGE GROUP | FEMALES | | | | | | | MALES | | | | | | | UNK GENDER | TOTAL (%) |
|-----------|---------------|---------------|------------|--------------|-------|---------|------------|---------------|---------------|------------|--------------|-------|---------|-------------|------------|-----------|
| | African Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Fem. | African Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Males | | |
| 0 - 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 5 - 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 15-19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 20-24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 4 |
| | | | | | | | | | | | | | | | | (57%) |
| 25-29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 2 |
| | | | | | | | | | | | | | | | | (29%) |
| 30-34 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 35-39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 40-44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| | | | | | | | | | | | | | | | | (14%) |
| 45-54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 55-64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 65+ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| TOTAL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 7 |
| PERCENT | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 100% | 0% | 0% | 0% | 0% | 100% | 0% | |

Total Asians = 0 (0%)
 Total Afr Amer = 7 (100%)
 Total Hispanics = 0 (0%)
 Total Amer Ind = 0 (0%)
 Total Whites = 0 (0%)
 Total Unknowns = 0 (0%)

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: PRIMARY SYPHILIS

PERIOD: DATE REPORTED - 01/01/2002 - 12/31/2002

FOR: DISTRICT: ALL

REPORT SOURCE: ALL OTHER SOURCES - EXCLUDING STD CLINICS

| AGE GROUP | FEMALES | | | | | | | MALES | | | | | | | UNK GENDER | TOTAL (%) |
|-----------|---------|---------------|------------|--------------|-------|---------|------------|-------|---------------|------------|--------------|-------|---------|-------------|------------|-----------|
| | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Fem. | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Males | | |
| 0 - 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 5 - 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 15-19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 20-24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 25-29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 30-34 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | | | | | | | | | | | | | | (20%) |
| 35-39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| | | | | | | | | | | | | | | | | (20%) |
| 40-44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 0 | 2 |
| | | | | | | | | | | | | | | | | (40%) |
| 45-54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| | | | | | | | | | | | | | | | | (20%) |
| 55-64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| 65+ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | (0%) |
| TOTAL | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 1 | 0 | 4 | 0 | 5 |
| PERCENT | 0% | 100% | 0% | 0% | 0% | 0% | 20% | 0% | 75% | 0% | 0% | 25% | 0% | 80% | 0% | |

Total Asians = 0 (0%)
 Total Afr Amer = 4 (80%)
 Total Hispanics = 0 (0%)
 Total Amer Ind = 0 (0%)
 Total Whites = 1 (20%)
 Total Unknowns = 0 (0%)

STD PROJECT AREA: DIST. OF COLUMBIA
 DISEASE: SECONDARY SYPHILIS
 PERIOD: DATE REPORTED - 01/01/2002 - 12/31/2002
 FOR: DISTRICT: ALL
 REPORT SOURCE: STD CLINICS / STD PROGRAM

| AGE GROUP | FEMALES | | | | | | | MALES | | | | | | | UNK GENDER | TOTAL (%) |
|-----------|---------|---------------|------------|--------------|-------|---------|------------|-------|---------------|------------|--------------|-------|---------|-------------|------------|-----------|
| | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Fem. | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Males | | |
| 0 - 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 - 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 2 |
| 25-29 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 30-34 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 35-39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 |
| 40-44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| 45-54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 55-64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 65+ | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 0 | 0 | 1 | 0 | 5 | 0 | 7 |
| PERCENT | 0% | 100% | 0% | 0% | 0% | 0% | 29% | 0% | 80% | 0% | 0% | 20% | 0% | 71% | 0% | 0% |

Total Asians = 0 (0%)
 Total Afr Amer = 6 (86%)
 Total Hispanics = 0 (0%)
 Total Amer Ind = 0 (0%)
 Total Whites = 1 (14%)
 Total Unknowns = 0 (0%)

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: SECONDARY SYPHILIS

PERIOD: DATE REPORTED - 01/01/2002 - 12/31/2002

FOR: DISTRICT: ALL

REPORT SOURCE: ALL OTHER SOURCES - EXCLUDING STD CLINICS

| AGE GROUP | FEMALES | | | | | | | MALES | | | | | | | UNK GENDER | TOTAL (%) | |
|-----------|---------|---------------|------------|--------------|-------|---------|------------|-------|---------------|------------|--------------|-------|---------|-------------|------------|-----------|--------|
| | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Fem. | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Males | | | |
| 0 - 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 5 - 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 15-19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 2 |
| | | | | | | | | | | | | | | | | | (5%) |
| 20-24 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 |
| | | | | | | | | | | | | | | | | | (5%) |
| 25-29 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 0 | 0 | 1 | 0 | 5 | 0 | 6 | 6 |
| | | | | | | | | | | | | | | | | | (15%) |
| 30-34 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 0 | 0 | 1 | 0 | 7 | 0 | 8 | 8 |
| | | | | | | | | | | | | | | | | | (20%) |
| 35-39 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 1 | 0 | 2 | 0 | 7 | 0 | 9 | 9 |
| | | | | | | | | | | | | | | | | | (23%) |
| 40-44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 3 | 0 | 9 | 0 | 9 | 9 |
| | | | | | | | | | | | | | | | | | (23%) |
| 45-54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 0 | 3 | 0 | 3 | 3 |
| | | | | | | | | | | | | | | | | | (8%) |
| 55-64 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| | | | | | | | | | | | | | | | | | (3%) |
| 65+ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| TOTAL | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 25 | 1 | 0 | 8 | 0 | 34 | 0 | 40 | 40 |
| PERCENT | 0% | 100% | 0% | 0% | 0% | 0% | 15% | 0% | 74% | 3% | 0% | 24% | 0% | 85% | 0% | 100% | 100% |

Total Asians = 0 (0%)
 Total Afr Amer = 31 (78%)
 Total Hispanics = 1 (3%)
 Total Amer Ind = 0 (0%)
 Total Whites = 8 (20%)
 Total Unknowns = 0 (0%)

STD PROJECT AREA: DIST. OF COLUMBIA
 DISEASE: SECONDARY SYPHILIS
 PERIOD: DATE REPORTED - 01/01/2002 - 12/31/2002
 FOR: DISTRICT: ALL
 REPORT SOURCE: STD CLINICS / STD PROGRAM

| AGE GROUP | FEMALES | | | | | | | MALES | | | | | | | UNK GENDER | TOTAL (%) | |
|-----------|---------|-------|---------------|-----------------|-------|---------|---------------|-------|-------|---------------|-----------------|-------|---------|----------------|------------|-----------|--------|
| | Asian | Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Fem. | Asian | Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Males | | | |
| 0 - 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 5 - 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 15-19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 20-24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 2 |
| | | | | | | | | | | | | | | | | | (29%) |
| 25-29 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | | | | | | | | | | | | | | | (14%) |
| 30-34 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| | | | | | | | | | | | | | | | | | (14%) |
| 35-39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 1 |
| | | | | | | | | | | | | | | | | | (14%) |
| 40-44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 |
| | | | | | | | | | | | | | | | | | (14%) |
| 45-54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 55-64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 65+ | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | | | | | | | | | | | | | | | (14%) |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| TOTAL | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 0 | 0 | 1 | 0 | 5 | 0 | 7 | |
| PERCENT | 0% | 100% | 0% | 0% | 0% | 0% | 29% | 0% | 80% | 0% | 0% | 20% | 0% | 71% | 0% | | |

Total Asians = 0 (0%)
 Total Afr Amer = 6 (86%)
 Total Hispanics = 0 (0%)
 Total Amer Ind = 0 (0%)
 Total Whites = 1 (14%)
 Total Unknowns = 0 (0%)

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: EARLY LATENT SYPHILIS

PERIOD: DATE REPORTED - 01/01/2002 - 12/31/2002

FOR: DISTRICT: ALL

REPORT SOURCE: STD CLINICS / STD PROGRAM

| AGE GROUP | FEMALES | | | | | | | MALES | | | | | | | UNK GENDER | TOTAL (%) | |
|-----------|---------|---------------|------------|--------------|-------|---------|------------|-------|---------------|------------|--------------|-------|---------|-------------|------------|-----------|--------|
| | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Fem. | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Males | | | |
| 0 - 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 5 - 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 15-19 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 4 |
| | | | | | | | | | | | | | | | | | (7%) |
| 20-24 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 10 | 10 |
| | | | | | | | | | | | | | | | | | (17%) |
| 25-29 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 0 | 0 | 0 | 3 | 0 | 4 | 4 |
| | | | | | | | | | | | | | | | | | (7%) |
| 30-34 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 6 | 6 |
| | | | | | | | | | | | | | | | | | (10%) |
| 35-39 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 6 | 0 | 0 | 2 | 0 | 8 | 0 | 13 | 13 |
| | | | | | | | | | | | | | | | | | (22%) |
| 40-44 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 7 | 7 |
| | | | | | | | | | | | | | | | | | (12%) |
| 45-54 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 9 | 0 | 0 | 0 | 0 | 9 | 0 | 11 | 11 |
| | | | | | | | | | | | | | | | | | (19%) |
| 55-64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 4 | 4 |
| | | | | | | | | | | | | | | | | | (7%) |
| 65+ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| TOTAL | 0 | 17 | 0 | 0 | 0 | 0 | 17 | 0 | 39 | 1 | 0 | 2 | 0 | 42 | 0 | 59 | 59 |
| PERCENT | 0% | 100% | 0% | 0% | 0% | 0% | 29% | 0% | 93% | 2% | 0% | 5% | 0% | 71% | 0% | | |

Total Asians = 0 (0%)
 Total Afr Amer = 56 (95%)
 Total Hispanics = 1 (2%)
 Total Amer Ind = 0 (0%)
 Total Whites = 2 (3%)
 Total Unknowns = 0 (0%)

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: EARLY LATENT SYPHILIS

PERIOD: DATE REPORTED - 01/01/2002 - 12/31/2002

FOR: DISTRICT: ALL

REPORT SOURCE: ALL OTHER SOURCES - EXCLUDING STD CLINICS

| AGE GROUP | FEMALES | | | | | | | MALES | | | | | | | UNK GENDER | TOTAL (%) | |
|-----------|---------|---------------|----------|--------------|-------|---------|------------|-------|---------------|----------|--------------|-------|---------|-------------|------------|-----------|--------|
| | Asian | African Amer. | Hispanic | Amer. Indian | White | Unknown | Total Fem. | Asian | African Amer. | Hispanic | Amer. Indian | White | Unknown | Total Males | | | |
| 0 - 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 5 - 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 10-14 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | | | | | | | | | | | | | | | (1%) |
| 15-19 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 7 |
| | | | | | | | | | | | | | | | | | (5%) |
| 20-24 | 0 | 8 | 1 | 0 | 0 | 0 | 9 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 6 | 15 |
| | | | | | | | | | | | | | | | | | (11%) |
| 25-29 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 9 | 1 | 0 | 1 | 0 | 11 | 0 | 11 | 17 |
| | | | | | | | | | | | | | | | | | (13%) |
| 30-34 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 10 | 1 | 0 | 2 | 0 | 13 | 0 | 13 | 18 |
| | | | | | | | | | | | | | | | | | (13%) |
| 35-39 | 0 | 9 | 1 | 0 | 1 | 0 | 11 | 0 | 15 | 2 | 0 | 6 | 0 | 23 | 0 | 23 | 34 |
| | | | | | | | | | | | | | | | | | (25%) |
| 40-44 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 1 | 7 | 0 | 0 | 4 | 0 | 12 | 0 | 12 | 17 |
| | | | | | | | | | | | | | | | | | (13%) |
| 45-54 | 0 | 8 | 0 | 0 | 0 | 0 | 8 | 0 | 8 | 1 | 0 | 1 | 0 | 10 | 0 | 10 | 18 |
| | | | | | | | | | | | | | | | | | (13%) |
| 55-64 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 0 | 0 | 0 | 1 | 5 | 0 | 5 | 6 |
| | | | | | | | | | | | | | | | | | (4%) |
| 65+ | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 3 |
| | | | | | | | | | | | | | | | | | (2%) |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| TOTAL | 0 | 49 | 2 | 0 | 1 | 0 | 52 | 1 | 62 | 5 | 0 | 14 | 1 | 83 | 1 | 83 | 136 |
| PERCENT | 0% | 94% | 4% | 0% | 2% | 0% | 38% | 1% | 75% | 6% | 0% | 17% | 1% | 61% | 1% | 61% | 1% |

Total Asians = 1 (1%)
 Total Afr Amer = 111 (82%)
 Total Hispanics = 7 (5%)
 Total Amer Ind = 0 (0%)
 Total Whites = 15 (11%)
 Total Unknowns = 2 (1%)

STD PROJECT AREA: DIST. OF COLUMBIA
 DISEASE: TOTAL EARLY SYPHILIS
 PERIOD: DATE REPORTED - 01/01/2002 - 12/31/2002
 FOR: DISTRICT: ALL
 REPORT SOURCE: STD CLINICS / STD PROGRAM

| AGE GROUP | FEMALES | | | | | | | MALES | | | | | | | UNK GENDER | TOTAL (%) | |
|-----------|---------|---------------|------------|--------------|-------|---------|------------|-------|---------------|------------|--------------|-------|---------|-------------|------------|-----------|--------|
| | Asian | African Amer. | Hisp-panic | Amer. Indian | White | Unknown | Total Fem. | Asian | African Amer. | Hisp-panic | Amer. Indian | White | Unknown | Total Males | | | |
| 0 - 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 5 - 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 15-19 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 5 |
| | | | | | | | | | | | | | | | | | (5%) |
| 20-24 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 12 | 0 | 0 | 0 | 0 | 12 | 0 | 16 | 22 |
| | | | | | | | | | | | | | | | | | (22%) |
| 25-29 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 1 | 0 | 0 | 0 | 5 | 0 | 7 | 10 |
| | | | | | | | | | | | | | | | | | (10%) |
| 30-34 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 7 | 10 |
| | | | | | | | | | | | | | | | | | (10%) |
| 35-39 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 6 | 0 | 0 | 3 | 0 | 9 | 0 | 14 | 19 |
| | | | | | | | | | | | | | | | | | (19%) |
| 40-44 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 9 | 12 |
| | | | | | | | | | | | | | | | | | (12%) |
| 45-54 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 9 | 0 | 0 | 0 | 0 | 9 | 0 | 11 | 15 |
| | | | | | | | | | | | | | | | | | (15%) |
| 55-64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 4 | 5 |
| | | | | | | | | | | | | | | | | | (5%) |
| 65+ | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| | | | | | | | | | | | | | | | | | (1%) |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| TOTAL | 0 | 19 | 0 | 0 | 0 | 0 | 19 | 0 | 50 | 1 | 0 | 3 | 0 | 54 | 0 | 73 | |
| PERCENT | 0% | 100% | 0% | 0% | 0% | 0% | 26% | 0% | 93% | 2% | 0% | 6% | 0% | 74% | 0% | | |

Total Asians = 0 (0%)
 Total Afr Amer = 69 (95%)
 Total Hispanics = 1 (1%)
 Total Amer Ind = 0 (0%)
 Total Whites = 3 (4%)
 Total Unknowns = 0 (0%)

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: TOTAL EARLY SYPHILIS

PERIOD: DATE REPORTED - 01/01/2002 - 12/31/2002

FOR: DISTRICT: ALL

REPORT SOURCE: ALL OTHER SOURCES - EXCLUDING STD CLINICS

| AGE GROUP | FEMALES | | | | | | | MALES | | | | | | | UNK GENDER | TOTAL (%) | |
|----------------|---------|---------------|------------|--------------|-------|---------|------------|-------|---------------|------------|--------------|-------|---------|-------------|------------|-----------|--------|
| | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Fem. | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Males | | | |
| 0 - 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 5 - 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 10-14 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | | | | | | | | | | | | | | | (1%) |
| 15-19 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 9 |
| | | | | | | | | | | | | | | | | | (5%) |
| 20-24 | 0 | 9 | 1 | 0 | 0 | 0 | 10 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 17 |
| | | | | | | | | | | | | | | | | | (9%) |
| 25-29 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 13 | 1 | 0 | 2 | 0 | 16 | 0 | 23 | 23 |
| | | | | | | | | | | | | | | | | | (13%) |
| 30-34 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 16 | 1 | 0 | 3 | 0 | 20 | 0 | 27 | 27 |
| | | | | | | | | | | | | | | | | | (15%) |
| 35-39 | 0 | 11 | 1 | 0 | 1 | 0 | 13 | 0 | 20 | 3 | 0 | 8 | 0 | 31 | 0 | 44 | 44 |
| | | | | | | | | | | | | | | | | | (24%) |
| 40-44 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 1 | 14 | 0 | 0 | 8 | 0 | 23 | 0 | 28 | 28 |
| | | | | | | | | | | | | | | | | | (15%) |
| 45-54 | 0 | 8 | 0 | 0 | 0 | 0 | 8 | 0 | 11 | 1 | 0 | 2 | 0 | 14 | 0 | 22 | 22 |
| | | | | | | | | | | | | | | | | | (12%) |
| 55-64 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 4 | 0 | 0 | 0 | 1 | 5 | 0 | 7 | 7 |
| | | | | | | | | | | | | | | | | | (4%) |
| 65+ | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 3 |
| | | | | | | | | | | | | | | | | | (2%) |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| TOTAL | 0 | 56 | 2 | 0 | 1 | 0 | 59 | 1 | 90 | 6 | 0 | 23 | 1 | 121 | 1 | 181 | 181 |
| PERCENT | 0% | 95% | 3% | 0% | 2% | 0% | 33% | 1% | 74% | 5% | 0% | 19% | 1% | 67% | 1% | | |

Total Asians = 1 (1%)
 Total Afr Amer = 146 (81%)
 Total Hispanics = 8 (4%)
 Total Amer Ind = 0 (0%)
 Total Whites = 24 (13%)
 Total Unknowns = 2 (1%)

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: TOTAL LATE SYPHILIS

PERIOD: DATE REPORTED - 01/01/2002 - 12/31/2002

FOR: DISTRICT: ALL

REPORT SOURCE: STD CLINICS / STD PROGRAM

| AGE GROUP | FEMALES | | | | | | | MALES | | | | | | | UNK GENDER | TOTAL (%) | |
|-----------|---------|---------------|------------|--------------|-------|---------|------------|-------|---------------|------------|--------------|-------|---------|-------------|------------|-----------|--------|
| | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Fem. | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Males | | | |
| 0 - 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 5 - 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 15-19 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | | | | | | | | | | | | | | | | (1%) |
| 20-24 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 4 |
| | | | | | | | | | | | | | | | | | (5%) |
| 25-29 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 4 | 1 | 0 | 0 | 0 | 5 | 0 | 9 | 9 |
| | | | | | | | | | | | | | | | | | (11%) |
| 30-34 | 0 | 4 | 0 | 0 | 0 | 1 | 5 | 0 | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 10 | 10 |
| | | | | | | | | | | | | | | | | | (12%) |
| 35-39 | 0 | 10 | 0 | 0 | 1 | 0 | 11 | 0 | 9 | 1 | 0 | 0 | 0 | 10 | 0 | 21 | 21 |
| | | | | | | | | | | | | | | | | | (25%) |
| 40-44 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 9 | 0 | 0 | 0 | 0 | 9 | 0 | 16 | 16 |
| | | | | | | | | | | | | | | | | | (19%) |
| 45-54 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 14 | 1 | 0 | 0 | 0 | 15 | 0 | 19 | 19 |
| | | | | | | | | | | | | | | | | | (22%) |
| 55-64 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 4 | 4 |
| | | | | | | | | | | | | | | | | | (5%) |
| 65+ | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| | | | | | | | | | | | | | | | | | (1%) |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| TOTAL | 0 | 35 | 0 | 0 | 1 | 1 | 37 | 0 | 45 | 3 | 0 | 0 | 0 | 48 | 0 | 85 | 85 |
| PERCENT | 0% | 95% | 0% | 0% | 3% | 3% | 44% | 0% | 94% | 6% | 0% | 0% | 0% | 56% | 0% | | |

Total Asians = 0 (0%)
 Total Afr Amer = 80 (94%)
 Total Hispanics = 3 (4%)
 Total Amer Ind = 0 (0%)
 Total Whites = 1 (1%)
 Total Unknowns = 1 (1%)

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: TOTAL LATE SYPHILIS

PERIOD: DATE REPORTED - 01/01/2002 - 12/31/2002

FOR: DISTRICT: ALL

REPORT SOURCE: ALL OTHER SOURCES - EXCLUDING STD CLINICS

| AGE GROUP | FEMALES | | | | | | | MALES | | | | | | | UNK GENDER | TOTAL (%) | |
|--------------|---------|------------------|---------------|-----------------|-------|---------|---------------|-------|------------------|---------------|-----------------|-------|---------|----------------|---------------|--------------|--------|
| | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Fem. | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Males | | | |
| 0 - 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | (1%) |
| 5 - 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (0%) |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (0%) |
| 15-19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (0%) |
| 20-24 | 0 | 3 | 0 | 0 | 1 | 0 | 4 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 6 | (6%) |
| 25-29 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 0 | 0 | 1 | 0 | 5 | 0 | 6 | (6%) |
| 30-34 | 0 | 6 | 1 | 0 | 0 | 0 | 7 | 0 | 12 | 1 | 0 | 0 | 0 | 13 | 0 | 20 | (21%) |
| 35-39 | 0 | 8 | 1 | 0 | 0 | 0 | 9 | 0 | 12 | 0 | 0 | 2 | 0 | 14 | 0 | 23 | (24%) |
| 40-44 | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 9 | 0 | 0 | 0 | 0 | 9 | 0 | 13 | (14%) |
| 45-54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 | 0 | 0 | 1 | 0 | 15 | 0 | 15 | (16%) |
| 55-64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | (3%) |
| 65+ | 0 | 4 | 0 | 0 | 0 | 0 | 4 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 7 | (7%) |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (0%) |
| TOTAL | 0 | 26 | 2 | 0 | 1 | 0 | 29 | 0 | 60 | 1 | 0 | 4 | 0 | 65 | 0 | 94 | |
| PERCENT | 0% | 90% | 7% | 0% | 3% | 0% | 31% | 0% | 92% | 2% | 0% | 6% | 0% | 69% | 0% | | |

Total Asians = 0 (0%)
 Total Afr Amer = 86 (91%)
 Total Hispanics = 3 (3%)
 Total Amer Ind = 0 (0%)
 Total Whites = 5 (5%)
 Total Unknowns = 0 (0%)

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: TOTAL SYPHILIS

PERIOD: DATE REPORTED - 01/01/2002 - 12/31/2002

FOR: DISTRICT: ALL

REPORT SOURCE: STD CLINICS / STD PROGRAM

| AGE GROUP | FEMALES | | | | | | | MALES | | | | | | | UNK GENDER | TOTAL (%) | |
|----------------|---------|---------------|------------|--------------|-------|---------|------------|-------|---------------|------------|--------------|-------|---------|-------------|------------|-----------|--------|
| | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Fem. | Asian | African Amer. | Hisp- anic | Amer. Indian | White | Unknown | Total Males | | | |
| 0 - 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 5 - 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 15-19 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 5 | 5 |
| | | | | | | | | | | | | | | | | | (3%) |
| 20-24 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 13 | 0 | 0 | 0 | 0 | 13 | 0 | 20 | 20 |
| | | | | | | | | | | | | | | | | | (13%) |
| 25-29 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 8 | 2 | 0 | 0 | 0 | 10 | 0 | 16 | 16 |
| | | | | | | | | | | | | | | | | | (10%) |
| 30-34 | 0 | 4 | 0 | 0 | 0 | 1 | 5 | 0 | 12 | 0 | 0 | 0 | 0 | 12 | 0 | 17 | 17 |
| | | | | | | | | | | | | | | | | | (11%) |
| 35-39 | 0 | 15 | 0 | 0 | 1 | 0 | 16 | 0 | 15 | 1 | 0 | 3 | 0 | 19 | 0 | 35 | 35 |
| | | | | | | | | | | | | | | | | | (22%) |
| 40-44 | 0 | 10 | 0 | 0 | 0 | 0 | 10 | 0 | 15 | 0 | 0 | 0 | 0 | 15 | 0 | 25 | 25 |
| | | | | | | | | | | | | | | | | | (16%) |
| 45-54 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 23 | 1 | 0 | 0 | 0 | 24 | 0 | 30 | 30 |
| | | | | | | | | | | | | | | | | | (19%) |
| 55-64 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 8 | 8 |
| | | | | | | | | | | | | | | | | | (5%) |
| 65+ | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| | | | | | | | | | | | | | | | | | (1%) |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| TOTAL | 0 | 54 | 0 | 0 | 1 | 1 | 56 | 0 | 95 | 4 | 0 | 3 | 0 | 102 | 0 | 158 | 158 |
| PERCENT | 0% | 96% | 0% | 0% | 2% | 2% | 35% | 0% | 93% | 4% | 0% | 3% | 0% | 65% | 0% | | |

Total Asians = 0 (0%)
 Total Afr Amer = 149 (94%)
 Total Hispanics = 4 (3%)
 Total Amer Ind = 0 (0%)
 Total Whites = 4 (3%)
 Total Unknowns = 1 (1%)

STD PROJECT AREA: DIST. OF COLUMBIA

DISEASE: TOTAL SYPHILIS

PERIOD: DATE REPORTED - 01/01/2002 - 12/31/2002

FOR: DISTRICT: ALL

REPORT SOURCE: STD CLINICS / STD PROGRAM

| AGE GROUP | FEMALES | | | | | | | MALES | | | | | | | UNK GENDER | TOTAL (%) | |
|-----------|---------|---------------|----------|--------------|-------|---------|------------|-------|---------------|----------|--------------|-------|---------|-------------|------------|-----------|--------|
| | Asian | African Amer. | Hispanic | Amer. Indian | White | Unknown | Total Fem. | Asian | African Amer. | Hispanic | Amer. Indian | White | Unknown | Total Males | | | |
| 0 - 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 5 - 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| 15-19 | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 5 | 5 |
| | | | | | | | | | | | | | | | | | (3%) |
| 20-24 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 13 | 0 | 0 | 0 | 0 | 13 | 0 | 20 | 20 |
| | | | | | | | | | | | | | | | | | (13%) |
| 25-29 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 8 | 2 | 0 | 0 | 0 | 10 | 0 | 16 | 16 |
| | | | | | | | | | | | | | | | | | (10%) |
| 30-34 | 0 | 4 | 0 | 0 | 0 | 1 | 5 | 0 | 12 | 0 | 0 | 0 | 0 | 12 | 0 | 17 | 17 |
| | | | | | | | | | | | | | | | | | (11%) |
| 35-39 | 0 | 15 | 0 | 0 | 1 | 0 | 16 | 0 | 15 | 1 | 0 | 3 | 0 | 19 | 0 | 35 | 35 |
| | | | | | | | | | | | | | | | | | (22%) |
| 40-44 | 0 | 10 | 0 | 0 | 0 | 0 | 10 | 0 | 15 | 0 | 0 | 0 | 0 | 15 | 0 | 25 | 25 |
| | | | | | | | | | | | | | | | | | (16%) |
| 45-54 | 0 | 6 | 0 | 0 | 0 | 0 | 6 | 0 | 23 | 1 | 0 | 0 | 0 | 24 | 0 | 30 | 30 |
| | | | | | | | | | | | | | | | | | (19%) |
| 55-64 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 7 | 0 | 0 | 0 | 0 | 7 | 0 | 8 | 8 |
| | | | | | | | | | | | | | | | | | (5%) |
| 65+ | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| | | | | | | | | | | | | | | | | | (1%) |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | (0%) |
| TOTAL | 0 | 54 | 0 | 0 | 1 | 1 | 56 | 0 | 95 | 4 | 0 | 3 | 0 | 102 | 0 | 158 | 158 |
| PERCENT | 0% | 96% | 0% | 0% | 2% | 2% | 35% | 0% | 93% | 4% | 0% | 3% | 0% | 65% | 0% | | |

Total Asians = 0 (0%)
 Total Afr Amer = 149 (94%)
 Total Hispanics = 4 (3%)
 Total Amer Ind = 0 (0%)
 Total Whites = 4 (3%)
 Total Unknowns = 1 (1%)