

***Major Causes of Death for the District of Columbia,
U.S., and Selected Cities, 2002-2004***



***Prepared by
Research and Analysis Division
State Center for Health Statistics
Center for Policy, Planning and Epidemiology
DC Department of Health***

March 6, 2007

ACKNOWLEDGMENTS

Gregg A. Pane, M.D.
Director
Department of Health

John O. Davies-Cole, Ph.D., MPH
Interim Director
Center for Policy, Planning and Epidemiology

Fern Johnson-Clarke, Ph.D.
Chief, Research and Analysis Division
Acting Director, State Center for Health Statistics

Compiled by

Ligia Artiles, Program Coordinator
Biva R. Chowdhury, Health Statistician
State Center for Health Statistics
Center for Policy, Planning and Epidemiology
District of Columbia Department of Health

Table of Contents

| | |
|-------------------|-----|
| Introduction..... | iii |
|-------------------|-----|

List of Tables

| | |
|--|----|
| Table 1. <i>Infant Mortality Rate by Race: District of Columbia, U.S., and Selected Cities, 2002-2004.....</i> | 1 |
| Table 2. <i>Heart Disease, First Leading Cause of Death in D.C.: District of Columbia, U.S., and Selected Cities, 2002-2004.....</i> | 2 |
| Table 3. <i>Cancer, Second Leading Cause of Death in D.C.: District of Columbia, U.S., and Selected Cities, 2002-2004.....</i> | 4 |
| Table 4. <i>Hypertension, Third Leading Cause of Death in D.C.: District of Columbia, U.S., and Selected Cities, 2002-2004.....</i> | 6 |
| Table 5. <i>Human Immunodeficiency Virus (HIV) Infection, Fourth Leading Cause of Death in D.C.: District of Columbia, U.S., and Selected Cities, 2002-2004.....</i> | 8 |
| Table 6. <i>Accidents (Unintentional Injuries), Fifth Leading Cause of Death in D.C.: District of Columbia, U.S., and Selected Cities, 2002-2004.....</i> | 10 |
| Table 7. <i>Cerebrovascular Diseases/Stroke, Sixth Leading Cause of Death in D.C.: District of Columbia, U.S., and Selected Cities, 2002-2004.....</i> | 12 |
| Table 8. <i>Diabetes Mellitus, Seventh Leading Cause of Death in D.C.: District of Columbia, U.S., and Selected Cities, 2002-2004.....</i> | 14 |
| Table 9. <i>Assault (Homicide), Eight Leading Cause of Death in D.C.: District of Columbia, U.S., and Selected Cities, 2002-2004</i> | 16 |

List of Figures

| | |
|---|----|
| Figure 1. <i>Infant Mortality Rates: U.S. and Selected Cities, 2002-2004.....</i> | 1 |
| Figure 2. <i>Heart Disease Crude Rates: U.S. and Selected Cities, 2002-2004.....</i> | 2 |
| Figure 3. <i>Heart Disease Age-adjusted Rates: U.S. and Selected Cities, 2002-2004.....</i> | 3 |
| Figure 4. <i>Cancer Crude Rates: U.S. and Selected Cities, 2002-2004.....</i> | 4 |
| Figure 5. <i>Cancer Age-adjusted Rates: U.S. and Selected Cities, 2002-2004.....</i> | 5 |
| Figure 6. <i>Hypertension Crude Rates: U.S. and Selected Cities, 2002-2004.....</i> | 6 |
| Figure 7. <i>Hypertension Age-adjusted Rates: U.S. and Selected Cities, 2002-2004.....</i> | 7 |
| Figure 8. <i>HIV Infection Crude Rates: U.S. and Selected Cities, 2002-2004.....</i> | 8 |
| Figure 9. <i>HIV Infection Age-adjusted Rates: U.S. and Selected Cities, 2002-2004.....</i> | 9 |
| Figure 10. <i>Accidents (Unintentional Injuries) Crude Rates: U.S. and Selected Cities, 2002-2004.....</i> | 10 |
| Figure 11. <i>Accidents (Unintentional Injuries) Age-adjusted Rates: U.S. and Selected Cities, 2002-2004.....</i> | 11 |
| Figure 12. <i>Cerebrovascular Diseases Crude Rates: U.S. and Selected Cities, 2002-2004.....</i> | 12 |
| Figure 13. <i>Cerebrovascular Diseases Age-adjusted Rates: U.S. and Selected Cities, 2002-2004.....</i> | 13 |
| Figure 14. <i>Diabetes Mellitus Crude Rates: U.S. and Selected Cities, 2002-2004.....</i> | 14 |
| Figure 15. <i>Diabetes Mellitus Age-adjusted Rates: U.S. and Selected Cities, 2002-2004.....</i> | 15 |
| Figure 16. <i>Assault (Homicide) Crude Rates: U.S. and Selected Cities, 2002-2004.....</i> | 16 |
| Figure 17. <i>Assault (Homicide) Age-adjusted Rates: U.S. and Selected Cities, 2002-2004.....</i> | 17 |
| Appendix 1 | 18 |
| -Table A. Annual Estimates of Population for Incorporated Places over 100,000, 2000-2004 | |
| -Table B. Population Estimates for Incorporated Places over 100,000, Ranked by July 1, 2002 Population: April 1, 2000 to July 1, 2002 | |
| Appendix 2 - List of U.S. State Health Statistics Centers..... | 19 |

Introduction

The cities in this report were chosen based on population estimates over 100,000 from July 1, 2002 to July 1, 2004. The second criterion for inclusion of selected cities was based on the Census 2000 racial/ethnic population proportions comparable to the District of Columbia. The information for the cities was obtained from the U.S. Census Bureau.

Data were obtained directly from each state data center. Infant mortality rates are per 1,000 live births. Crude and age-adjusted rates are per 100,000 population.

| Census 2000 Population for Cities Over 100,000 by Race/Ethnicity | | | | | | | |
|---|----------------|----------------|-------------|----------------|-------------|---------------|------------|
| City | Total | White | | Black | | Hispanic | |
| | | Number | Percent | Number | Percent | Number | Percent |
| United States | 281,421,906 | 211,460,828 | 75.1 | 34,658,190 | 12.3 | 35,305,818 | 12.5 |
| Baltimore City, MD | 651,154 | 205,982 | 31.6 | 418,951 | 64.3 | 11,061 | 1.7 |
| Detroit City, MI | 951,270 | 116,599 | 12.3 | 775,772 | 81.6 | 47,167 | 5.0 |
| District of Columbia¹ | 572,059 | 176,101 | 30.8 | 343,312 | 60.0 | 44,953 | 7.9 |
| Gary City, IN | 102,746 | 12,245 | 11.9 | 86,340 | 84.0 | 5,065 | 4.9 |
| Jackson City, MS | 184,256 | 51,208 | 27.8 | 130,151 | 70.6 | 1,451 | 0.8 |
| Memphis City, TN | 650,100 | 223,728 | 34.4 | 399,208 | 61.4 | 19,317 | 3.0 |
| New Orleans City, LA* | 484,674 | 135,956 | 28.1 | 325,947 | 67.3 | 14,826 | 3.1 |
| Newark City, NJ | 273,546 | 72,537 | 26.5 | 146,250 | 53.5 | 80,622 | 29.5 |
| Philadelphia City, PA | 1,517,550 | 683,267 | 45.0 | 655,824 | 43.2 | 128,928 | 8.5 |
| Richmond City, VA | 197,790 | 75,744 | 38.3 | 113,108 | 57.2 | 5,074 | 2.6 |

* Data for the city of New Orleans, Louisiana were not available for the years 2003, 2004.

¹ Data for the District of Columbia were obtained from D.C.'s Office of Planning.

Source: US Bureau of the Census

List of Cities for Infant Mortality Comparison

- | | |
|---------------------------------------|-----------------------------|
| 1. <i>Baltimore City, MD</i> | 5. <i>Jackson City, MS</i> |
| 2. <i>Detroit City, MI</i> | 6. <i>Newark City, NJ</i> |
| 3. <u><i>District of Columbia</i></u> | 7. <i>Philadelphia, PA</i> |
| 4. <i>Gary City, IN</i> | 8. <i>Richmond City, VA</i> |

List of Cities for Comparison by Cause of Death

- | | |
|---------------------------------------|-----------------------------|
| 1. <i>Baltimore city, MD</i> | 6. <i>Memphis city, TN</i> |
| 2. <i>Detroit city, MI</i> | 7. <i>Newark city, NJ</i> |
| 3. <u><i>District of Columbia</i></u> | 8. <i>Philadelphia, PA</i> |
| 4. <i>Gary city, IN</i> | 9. <i>Richmond city, VA</i> |
| 5. <i>Jackson city, MS</i> | |

**Table 1. Infant Mortality Rate¹ by Race:
District of Columbia and Selected States and Cities, 2002-2004**

| City/State | Total | | | White | | | Black | | |
|--------------------------------|-------|-------|------|-------|----------------|------------------|-------|-------------------|-------------------|
| | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 | 2004 | 2003 | 2002 |
| United States | 6.8 | 6.9 | 7.0 | 5.7 | 5.8 | 5.8 | 13.7 | 14.1 | 14.4 |
| Baltimore City, MD | 12.7 | 13.2 | 10.3 | 6.7 | 3.3 | 4.8 | 15.2 | 17.5 | 12.4 |
| Detroit City, MI | 15.5 | 16.3 | 16.7 | 5.0 | 11.5 | 7.4 | 17.8 | 18.1 | 19.1 |
| District of Columbia | 11.8 | 10.2 | 11.5 | 2.8 | 2.1 | 6.6 | 16.7 | 14.2 | 14.1 |
| Gary City, IN ² | 16.0 | 9.0** | 17.5 | 3.8** | 3.8** | 15.4** | 18.4 | 10.0** | 17.4 |
| Jackson City, MS | 14.2 | 13.6 | 12.3 | 6.8 | 7.7 | 4.1 | 15.5* | 14.8* | 14.0* |
| Newark City, NJ | - | 11.5 | 9.6 | - | 0 ³ | 6.8 ³ | - | 16.5 ³ | 12.8 ³ |
| Philadelphia City, PA | 10.7 | 10.5 | 10.6 | 8.6 | 9.0 | 7.8 | 15.8 | 13.9 | 13.5 |
| Richmond City, VA ⁴ | 11.0 | 14.3 | 17.2 | 3.6 | 8.1 | 5.4 | 15.5 | 18.2 | 25.1 |

- Data not available.

* Data for non-white.

** Numerator is less than 20, and the rate is unstable.

Footnotes:

¹ Rate per 1,000 live births.

² Data by race of mother.

³ Data excludes Hispanic origin.

⁴ Infant deaths by place of residence.

Source:

1. Data were obtained directly from each State Health Statistics Center and the National Center for Health Statistics, (see Appendix 2 for citation).

Figure 1. Infant Mortality Rates: U.S. and Selected Cities, 2002-2004




Table 2. Heart Disease (100-109, 111, 113, 120-151), First Leading Cause of Death in D.C.*: District of Columbia, U.S., and Selected Cities, 2002-2004

| City/State | 2004 | | | 2003 | | | 2002 | | |
|---------------------------------|---------|-------------------------|--------------------------------|---------|-------------------------|--------------------------------|---------|-------------------------|--------------------------------|
| | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ |
| United States | 654,092 | 222.7 | 217.5 | 685,089 | 235.6 | 232.3 | 696,947 | 241.7 | 240.8 |
| Baltimore City, MD ² | 1,838 | 288.9 | 300.1 ² | 2,027 | 322.4 | 315.8 ³ | 1,972 | 308.8 | 327.5 ⁴ |
| Detroit City, MI | 2,865 | 318.6 | 368.8 | 2,995 | 328.5 | 384.0 | 3,127 | 339.0 | 401.1 |
| District of Columbia | 1,302 | 234.9 | 239.8 | 1,386 | 242.3 | 249.4 | 1,399 | 244.6 | 251.5 |
| Gary City, IN | 326 | 328.1 | - | 362 | 362.2 | - | 309 | 307.0 | - |
| Jackson City, MS | 458 | 255.6 | - | 489 | 272.7 | - | 498 | 276.4 | - |
| Memphis City, TN | 2,160 | 320.7 | 279.1 | 2,316 | 342.8 | 303.0 | 2,357 | 348.1 | 313.6 |
| Newark City, NJ | - | - | - | 528 | 189.7 | - | 577 | 208.7 | - |
| Philadelphia City, PA | 4,220 | 286.8 | - | 4,512 | 305.5 | - | 4,628 | 311.3 | - |
| Richmond City, VA | 477 | 247.9 | - | 557 | 286.0 | - | 569 | 288.2 | - |

* Based on number of deaths in 2004.

- Data not available.

Note: DC Rates per 100,000 population, based on 2004 population estimates.

Footnotes:

¹ Crude rates per 100,000 population. Age-adjusted rates are per 100,000 U.S. standard population.

² Baltimore city age-adjusted rates combine 2002-2004 data.

³ Baltimore city age-adjusted rates combine 2001-2003 data.

⁴ Baltimore city age-adjusted rates combine 2000-2002 data.

Sources: 1. Data were obtained directly from each State Health Statistics Center and the National Center for Health Statistics, (see Appendix 2 for citation).

2. National Vital Statistics Reports, Vol. 54, No. 13, April 19, 2006 & Vol. 54, No. 19, June 28, 2006.

Figure 2. Heart Disease Crude Rates: U.S. and Selected Cities, 2002-2004





Figure 3. Heart Disease Age-adjusted Rates: U.S. and Selected Cities, 2002-2004



**Table 3. Cancer (C00-C97), Second Leading Cause of Death in D.C.*:
District of Columbia, U.S., and Selected Cities, 2002-2004**

| City/State | 2004 | | | 2003 | | | 2002 | | |
|-----------------------|---------|-------------------------|--------------------------------|---------|-------------------------|--------------------------------|---------|-------------------------|--------------------------------|
| | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ |
| United States | 550,270 | 187.4 | 184.6 | 556,902 | 191.5 | 190.1 | 557,271 | 193.2 | 193.5 |
| Baltimore City, MD | 1,498 | 235.4 | 251.4 ² | 1,605 | 255.3 | 256.2 ³ | 1,706 | 267.1 | 260.3 ⁴ |
| Detroit City, MI | 1,818 | 202.2 | 229.8 | 1,792 | 196.5 | 226.4 | 1,864 | 202.1 | 235.7 |
| District of Columbia | 1,132 | 204.2 | 205.3 | 1,096 | 191.6 | 196.6 | 1,275 | 222.9 | 228.8 |
| Gary City, IN | 259 | 260.7 | - | 291 | 291.1 | - | 270 | 268.2 | - |
| Jackson City, MS | 251 | 140.1 | - | 283 | 157.8 | - | 283 | 157.1 | - |
| Memphis City, TN | 1,633 | 242.5 | 206.1 | 1,642 | 243.1 | 212.2 | 1,640 | 242.2 | 214.7 |
| Newark City, NJ | - | - | - | 483 | 173.5 | - | 494 | 178.7 | - |
| Philadelphia City, PA | 3,597 | 244.5 | - | 3,815 | 258.3 | - | 3,788 | 254.8 | - |
| Richmond City, VA | 392 | 203.7 | - | 510 | 261.9 | - | 494 | 250.2 | - |

* Based on number of deaths in 2004.

- Data not available.

Note: DC Rates per 100,000 population, based on 2004 population estimates.

Footnotes:

¹ Crude rates per 100,000 population. Age-adjusted rates are per 100,000 U.S. standard population.

² Baltimore city age-adjusted rates combine 2002-2004 data.

³ Baltimore city age-adjusted rates combine 2001-2003 data.

⁴ Baltimore city age-adjusted rates combine 2000-2002 data.

Sources: 1. Data were obtained directly from each State Health Statistics Center and the National Center for Health Statistics, (see Appendix 2 for citation).

2. National Vital Statistics Reports, Vol. 54, No. 13, April 19, 2006, & Vol. 54, No. 19, June 28, 2006.

Figure 4. Cancer Crude Rates: U.S. and Selected Cities, 2002-2004




Figure 5. Cancer Age-adjusted Rates: U.S. and Selected Cities, 2002-2004




Table 4. Hypertension* (I10, I12), Third Leading Cause of Death in D.C.:
District of Columbia, U.S., and Selected Cities, 2002-2004**

| City/State | 2004 | | | 2003 | | | 2002 | | |
|---------------------------------|--------|-------------------------|--------------------------------|--------|-------------------------|--------------------------------|------------------|-------------------------|--------------------------------|
| | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ |
| United States | 22,953 | 7.8 | 7.6 | 21,940 | 7.5 | 7.4 | 20,261 | 7.0 | 7.0 |
| Baltimore City, MD [†] | 85 | 13.4 | 12.7 | 74 | 11.8 | 11.5 | 81 | 12.7 | 12.5 |
| Detroit City, MI | 206 | 22.9 | - | 194 | 21.3 | - | 212 | 23.0 | - |
| District of Columbia | 327 | 59 | 59.6 | 367 | 64.2 | 66.0 | 351 | 61.4 | 63.0 |
| Gary City, IN ² | 14 | 14.1 | - | 15 | 15.0 | - | 13 | 12.9 | - |
| Jackson City, MS | 20 | 11.2 | - | 21 | 11.7 | - | 14 | 7.8 | - |
| Memphis City, TN | 102 | 15.1 | 13.2 | 100 | 14.8 | 13.1 | 95 | 14.0 | 12.7 |
| Newark City, NJ | - | - | - | 35 | 12.6 | - | 25 | 9.0 | - |
| Philadelphia City, PA | 130 | 8.8 | - | 148 | 10.0 | - | 139 ³ | 9.4 | - |

* Essential (primary) hypertension and hypertensive renal disease.

**Based on number of deaths in 2004.

- Data not available.

Notes: DC Rates per 100,000 population, based on 2004 population estimates. Richmond City not included, data were not available.

Footnotes:

¹ Crude rates per 100,000 population. Age-adjusted rates are per 100,000 U.S. standard population.

Sources: 1. Data were obtained directly from each State Health Statistics Center and the National Center for Health Statistics, (see Appendix 2 for citation).

2. National Vital Statistics Reports, Vol. 54, No. 13, April 19, 2006, & Vol. 54, No. 19, June 28, 2006.

Figure 6. Hypertension Crude Rates: U.S. and Selected Cities, 2002-2004





Figure 7. Hypertension Age-adjusted Rates: U.S. and Selected Cities, 2002-2004



**Table 5. Human Immunodeficiency Virus (HIV) Infection (B20-B24),
Fourth Leading Cause of Death in D.C. *:
District of Columbia, U.S., and Selected Cities, 2002-2004**

| City/State | 2004 | | | 2003 | | | 2002 | | |
|-----------------------|--------|-------------------------|--------------------------------|--------|-------------------------|--------------------------------|--------|-------------------------|--------------------------------|
| | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ |
| United States | 12,995 | 4.4 | 4.4 | 13,658 | 4.7 | 4.7 | 14,095 | 4.9 | 4.9 |
| Baltimore City, MD | 317 | 49.8 | 50.5 | 390 | 62.0 | 63.5 | 379 | 59.4 | 61.0 |
| Detroit City, MI | 103 | 11.5 | - | 117 | 12.8 | - | 120 | 13.0 | - |
| District of Columbia | 224 | 40.4 | 39.7 | 231 | 40.4 | 40.7 | 217 | 37.9 | 38.4 |
| Gary City, IN | 11 | 11.1 | - | 8 | 8.0 | - | 18 | 17.9 | - |
| Jackson City, MS | 31 | 17.3 | - | 38 | 21.2 | - | 46 | 25.5 | - |
| Memphis City, TN | 118 | 17.5 | 12.9 | 107 | 15.8 | 11.8 | 168 | 24.8 | 18.6 |
| Newark City, NJ | - | - | - | 156 | 56.0 | - | 185 | 66.9 | - |
| Philadelphia City, PA | 220 | 15.0 | - | 233 | 15.8 | - | 250 | 16.8 | - |

* Based on number of deaths in 2004.

- Data not available.

Notes: DC Rates per 100,000 population, based on 2004 population estimates. Richmond City not included, data were not available.

Footnotes:

¹ Crude rates per 100,000 population. Age-adjusted rates are per 100,000 U.S. standard population.

Sources: 1. Data were obtained directly from each State Health Statistics Center and the National Center for Health Statistics, (see Appendix 2 for citation).

2. National Vital Statistics Reports, Vol. 54, No. 13, April 19, 2006, & Vol. 54, No. 19, June 28, 2006.

Figure 8. HIV Infection Crude Rates: U.S. and Selected Cities, 2002-2004





Figure 9. HIV Infection Age-adjusted Rates: U.S. and Selected Cities, 2002-2004



**Table 6. Accidents (Unintentional Injuries) (V01-X59, Y85-Y86),
Fifth Leading Cause of Death in D.C. *:
District of Columbia, U.S., and Selected Cities, 2002-2004**

| City/State | 2004 | | | 2003 | | | 2002 | | |
|-----------------------|------------------|-------------------------|--------------------------------|------------------|-------------------------|--------------------------------|------------------|-------------------------|--------------------------------|
| | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ |
| United States | 108,694 | 37.0 | 36.6 | 109,277 | 37.6 | 37.3 | 106,742 | 37.0 | 36.9 |
| Baltimore City, MD | 183 | 28.8 | 31.1 ² | 205 | 32.6 | 30.7 ³ | 204 | 31.9 | 27.9 ⁴ |
| Detroit City, MI | 320 | 35.6 | 36.5 ⁵ | 340 | 37.3 | 38.4 ⁵ | 377 | 40.9 | 42.3 ⁵ |
| District of Columbia | 211 | 38.1 | 38.4 | 214 | 37.4 | 37.5 | 204 | 35.7 | 35.8 |
| Gary City, IN | 59 | 59.4 | - | 57 | 57.0 | - | 71 | 70.5 | - |
| Jackson City, MS | 69 | 38.5 | - | 69 | 38.5 | - | 73 | 40.5 | - |
| Memphis City, TN | 331 | 49.1 | 37.7 | 317 | 46.9 | 37.4 | 317 | 46.8 | 36.9 |
| Newark City, NJ | - | - | - | 106 ⁵ | 38.1 | - | 140 ⁵ | 50.6 | - |
| Philadelphia City, PA | 676 ⁶ | 45.9 | - | 608 ⁶ | 41.2 | - | 616 ⁶ | 41.4 | - |

* Based on number of deaths in 2004.

- Data not available.

Notes: DC Rates per 100,000 population, based on 2004 population estimates. Richmond City not included, data were not available.

Footnotes:

¹ Crude rates per 100,000 population. Age-adjusted rates are per 100,000 U.S. standard population.

² Baltimore city age-adjusted rates combine 2002-2004 data.

³ Baltimore city age-adjusted rates combine 2001-2003 data.

⁴ Baltimore city age-adjusted rates combine 2000-2002 data.

⁵ Unintentional Injuries

⁶ Non-transport, motor vehicle and other transport accidents.

Sources: 1. Data were obtained directly from each State Health Statistics Center and the National Center for Health Statistics, (see Appendix 2 for citation).

2. National Vital Statistics Reports, Vol. 54, No. 13, April 19, 2006, & Vol. 54, No. 19, June 28, 2006.

Figure 10. Accidents (Unintentional Injuries) Crude Rates: U.S. and Selected Cities, 2002-2004





Figure 11. Accidents (Unintentional Injuries) Age-adjusted Rates: U.S. and Selected Cities, 2002-2004



**Table 7. Cerebrovascular Diseases / Stroke (I60-I69),
Sixth Leading Cause of Death in D.C. *:
District of Columbia, U.S., and Selected Cities, 2002-2004**

| City/State | 2004 | | | 2003 | | | 2002 | | |
|-----------------------|---------|-------------------------|--------------------------------|---------|-------------------------|--------------------------------|---------|-------------------------|--------------------------------|
| | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ |
| United States | 150,147 | 51.1 | 50.0 | 157,689 | 54.2 | 53.5 | 162,672 | 56.4 | 56.2 |
| Baltimore City, MD | 387 | 60.8 | 63.5 ² | 451 | 71.7 | 67.2 ³ | 407 | 63.7 | 71.3 ⁴ |
| Detroit City, MI | 440 | 48.9 | 56.4 | 457 | 50.1 | 58.7 | 516 | 55.9 | 66.2 |
| District of Columbia | 196 | 35.4 | 35.8 | 214 | 37.4 | 38.4 | 230 | 40.2 | 41.4 |
| Gary City, IN | 53 | 53.3 | - | 66 | 66.0 | - | 70 | 69.5 | - |
| Jackson City, MS | 90 | 50.2 | - | 86 | 48.0 | - | 119 | 66.1 | - |
| Memphis City, TN | 543 | 80.6 | 70.8 | 532 | 78.8 | 71.6 | 609 | 89.9 | 82.4 |
| Newark City, NJ | - | - | - | 100 | 35.9 | - | 118 | 42.7 | - |
| Philadelphia City, PA | 875 | 59.5 | - | 1,058 | 71.6 | - | 983 | 66.1 | - |
| Richmond City, VA | 166 | 86.3 | - | 156 | 80.1 | - | 194 | 98.2 | - |

* Based on number of deaths in 2004.

- Data not available.

Note: DC Rates per 100,000 population, based on 2004 population estimates.

Footnotes:

¹ Crude rates per 100,000 population. Age-adjusted rates are per 100,000 U.S. standard population.

² Baltimore city age-adjusted rates combine 2002-2004 data.

³ Baltimore city age-adjusted rates combine 2001-2003 data.

⁴ Baltimore city age-adjusted rates combine 2000-2002 data.

Sources: 1. Data were obtained directly from each State Health Statistics Center and the National Center for Health Statistics, (see Appendix 2 for citation).

2. National Vital Statistics Reports, Vol. 54, No. 13, April 19, 2006, & Vol. 54, No. 19, June 28, 2006.

Figure 12. Cerebrovascular Diseases Crude Rates: U.S. and Selected Cities, 2002-2004




Figure 13. Cerebrovascular Diseases Age-adjusted Rates: U.S. and Selected Cities, 2002-2004




Table 8. Diabetes Mellitus (E10-E14), Seventh Leading Cause of Death in D.C.*: District of Columbia, U.S., and Selected Cities, 2002-2004

| City/State | 2004 | | | 2003 | | | 2002 | | |
|-----------------------|--------|-------------------------|--------------------------------|--------|-------------------------|--------------------------------|--------|-------------------------|--------------------------------|
| | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ |
| United States | 72,815 | 24.8 | 24.4 | 74,219 | 25.5 | 25.3 | 73,249 | 25.4 | 25.4 |
| Baltimore City, MD | 247 | 38.8 | 40.4 ² | 259 | 41.2 | 41.6 ³ | 268 | 42.0 | 43.6 ⁴ |
| Detroit City, MI | 256 | 28.5 | 92.8 | 218 | 23.9 | 94.4 | 289 | 31.3 | 99.9 |
| District of Columbia | 187 | 33.7 | 34.1 | 154 | 26.9 | 27.6 | 175 | 30.6 | 31.4 |
| Gary City, IN | 58 | 58.4 | - | 72 | 72.0 | - | 65 | 64.6 | - |
| Jackson City, MS | 29 | 16.2 | - | 22 | 12.3 | - | 28 | 15.5 | - |
| Memphis City, TN | 224 | 33.3 | 28.7 | 255 | 37.7 | 33.2 | 231 | 34.1 | 30.2 |
| Newark City, NJ | - | - | - | 128 | 46.0 | - | 104 | 37.6 | - |
| Philadelphia City, PA | 412 | 28.0 | - | 434 | 29.4 | - | 425 | 28.6 | - |
| Richmond City, VA | 69 | 35.9 | - | 68 | 34.9 | - | 81 | 41.0 | - |

* Based on number of deaths in 2004.

- Data not available.

Note: DC Rates per 100,000 population, based on 2004 population estimates.

Footnotes:

¹ Crude rates per 100,000 population. Age-adjusted rates are per 100,000 U.S. standard population.

² Baltimore city age-adjusted rates combine 2002-2004 data.

³ Baltimore city age-adjusted rates combine 2001-2003 data.

⁴ Baltimore city age-adjusted rates combine 2000-2002 data.

Sources: 1. Data were obtained directly from each State Health Statistics Center and the National Center for Health Statistics, (see Appendix 2 for citation).

2. National Vital Statistics Reports, Vol. 54, No. 13, April 19, 2006, & Vol. 54, No. 19, June 28, 2006.

Figure 14. Diabetes Mellitus Crude Rates: U.S. and Selected Cities, 2002-2004




Figure 15. Diabetes Mellitus Age-adjusted Rates: U.S. and Selected Cities, 2002-2004




Table 9. Assault (Homicide) (X85-Y09, Y87.1), Eight Leading Cause of Death in D.C.*: District of Columbia, U.S., and Selected Cities, 2002-2004

| City/State | 2004 | | | 2003 | | | 2002 | | |
|--------------------------------|--------|-------------------------|--------------------------------|--------|-------------------------|--------------------------------|--------|-------------------------|--------------------------------|
| | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ | Number | Crude Rate ¹ | Age-adjusted Rate ¹ |
| United States | 16,611 | 5.7 | 5.6 | 17,732 | 6.1 | 6.0 | 17,638 | 6.1 | 6.1 |
| Baltimore City, MD | 263 | 41.3 | 40.9 | 239 | 38.0 | 37.0 | 224 | 35.1 | 34.1 |
| Detroit City, MI | 347 | 38.6 | 36.8 | 369 | 40.5 | 38.9 | 378 | 41.0 | 39.8 |
| District of Columbia | 178 | 32.1 | 31.1 | 195 | 34.1 | 30.5 | 220 | 38.5 | 34.6 |
| Gary City, IN | 54 | 54.4 | - | 61 | 61.0 | - | 57 | 56.6 | - |
| Jackson City, MS | 43 | 24.0 | - | 48 | 26.8 | - | 46 | 25.5 | - |
| Memphis City, TN | 125 | 18.6 | 13.3 | 140 | 20.7 | 15.2 | 171 | 25.3 | 18.3 |
| Newark City, NJ | - | - | - | 78 | 28.0 | - | 52 | 18.8 | - |
| Philadelphia City, PA | 328 | 22.3 | - | 338 | 22.9 | - | 291 | 19.6 | - |
| Richmond City, VA ² | 76 | 39.5 | - | 88 | 45.2 | - | 76 | 38.5 | - |

* Based on number of deaths in 2004.

- Data not available.

Note: DC Rates per 100,000 population, based on 2004 population estimates

Footnotes:

¹ Crude rates per 100,000 population. Age-adjusted rates are per 100,000 U.S. standard population.

² Data for Homicides and Legal Intervention.

Sources: 1. Data were obtained directly from each State Health Statistics Center and the National Center for Health Statistics, (see Appendix 2 for citation).

2. National Vital Statistics Reports, Vol. 54, No. 13, April 19, 2006, & Vol. 54, No. 19, June 28, 2006.

Figure 16. Assault (Homicide) Crude Rates: U.S. and Selected Cities, 2002-2004





Figure 17. Assault (Homicide) Age-adjusted Rates: U.S. and Selected Cities, 2002-2004



Appendix 1

| Table A: Annual Estimates of the Population for Incorporated Places Over 100,000, Ranked by July 1, 2004 Population: April 1, 2000 to July 1, 2004 | | | | | | | | | |
|---|-------------------|----------------------|----------------------|--------------|--------------|--------------|--------------|----------------|-----------|
| Rank | Geographic Area | | Population estimates | | | | | April 1, 2000 | |
| | | | July 1, 2004 | July 1, 2003 | July 1, 2002 | July 1, 2001 | July 1, 2000 | Estimates base | Census |
| 5 | Philadelphia City | Pennsylvania | 1,471,255 | 1,477,055 | 1,486,594 | 1,498,501 | 1,513,701 | 1,517,550 | 1,517,550 |
| 11 | Detroit City | Michigan | 899,122 | 911,851 | 922,426 | 934,694 | 947,864 | 951,270 | 951,270 |
| 17 | Memphis City | Tennessee | 673,521 | 675,498 | 677,132 | 678,857 | 682,509 | 682,953 | 650,100 |
| 18 | Baltimore City | Maryland | 641,943 | 643,304 | 636,699 | 645,305 | 648,554 | 651,154 | 651,154 |
| 27 | Washington City | District of Columbia | 554,239 | 557,846 | 564,624 | 569,321 | 571,044 | 572,059 | 572,059 |
| 38 | New Orleans City | Louisiana | 461,115 | 467,592 | 472,409 | 477,632 | 483,560 | 484,674 | 484,674 |
| 65 | Newark City | New Jersey | 279,865 | 278,326 | 276,427 | 274,537 | 272,888 | 272,528 | 273,546 |
| 108 | Richmond City | Virginia | 193,915 | 195,200 | 196,387 | 197,484 | 197,603 | 197,952 | 197,790 |
| 123 | Jackson City | Mississippi | 179,190 | 179,318 | 180,154 | 181,844 | 183,754 | 184,256 | 184,256 |

Note: The April 1, 2000 Population Estimates Base reflects modifications to the Census 2000 population as documented in the Count Question Resolution program, updates from the Boundary and Annexation Survey, and geographic program revisions. An "(X)" in the Census 2000 field indicates a locality that was formed or incorporated after Census 2000 or was erroneously omitted from Census 2000. Additional information on these localities can be found in the Geographic Change Notes (see "Boundary Changes" under the Geographic Topics section of the Estimates page). Dash (-) represents zero or rounds to zero.

Suggested Citation:
 Table 1: Annual Estimates of the Population for Incorporated Places over 100,000, Ranked by July 1, 2005 Population: April 1, 2000 to July 1, 2005 (SUB-EST2005-01)
 Source: Population Division, U.S. Census Bureau
 Release Date: June 21, 2006 <http://www.census.gov/popest/cities/tables/SUB-EST2005-01.xls>

| Table B. Population Estimates for Incorporated Places over 100,000, Ranked by July 1, 2002 Population: April 1, 2000 to July 1, 2002 | | | | | | | |
|---|-----------|---------|----------------------------|----------------------------|----------------------------|---|---------------------------|
| Rank | Place | State | July 1, 2002 Population | July 1, 2001 Population | July 1, 2000 Population | April 1, 2000 Population Estimates Base | Census 2000 Population |
| 241 | Gary city | Indiana | 100,945 | 101,738 | 102,522 | 102,746 | 102,746 |

Source: http://www.census.gov/popest/archives/2000s/vintage_2002/SUB-EST2002-01.html

Appendix 2

List of U.S. State Health Statistics Center

| | |
|----------------------------------|---|
| Baltimore city, Maryland: | http://www.dhmh.state.md.us |
| Detroit city, Michigan: | http://www.michigan.gov |
| Washington, D.C.: | http://doh.dc.gov |
| Gary, Indiana: | http://www.in.gov |
| Jackson city, Mississippi: | http://www.msdh.state.ms.us |
| Memphis, Tennessee: | http://www.state.tn.us |
| New Orleans, Louisiana: | http://www.dhh.louisiana.gov |
| Newark city, New Jersey: | http://www.state.nj.us |
| Philadelphia city, Pennsylvania: | http://www.dsf.health.state.pa.us |
| Richmond city, Virginia: | http://www.vdh.state.va.us |