

Non-Opioid and Alternative Approaches to Pain References

American Heart Association News. Heart risks of popular pain relievers still unclear. New Orleans. 2016 Nov 13. <https://news.heart.org/heart-risks-of-popular-pain-relievers-still-unclear/>

Anderson JW, Nicolosi RJ, Borzelleca JF. Glucosamine effects in humans: a review of effects on glucose metabolism, side effects, safety considerations and efficacy. *Food Chem Toxicol.* 2005 Feb;43(2):187-201.

Babatunde OO, Jordan JL, Van der Windt DA, Hill JC, Foster NE, Protheroe J. Effective treatment options for musculoskeletal pain in primary care: A systematic overview of current evidence. *PLoS One.* 2017;12(6):e0178621.

Bally M, Dendukuri N, Rich B, Nadeau L, Helin-Salmivaara A, Garbe E, et al. Risk of acute myocardial infarction with NSAIDs in real world use: bayesian meta-analysis of individual patient data. *BMJ.* 2017 May 9;357:j1909. doi: 10.1136/bmj.j1909.

Bartels EM, Juhl CB, Christensen R, et al. Aquatic exercise for the treatment of knee and hip osteoarthritis. *Cochrane Database Syst Rev.* 2016;3:CD005523.

Bruyere O, Pavelka K, Rovati LC, et al. Glucosamine sulfate reduces osteoarthritis progression in postmenopausal women with knee osteoarthritis: evidence from two 3-year studies. *Menopause.* 2004;11(2):138-143.

Bruyere O, Pavelka K, Rovati LC, et al. Total joint replacement after glucosamine sulphate treatment in knee osteoarthritis: results of a mean 8-year observation of patients from two previous 3-year, randomised, placebo-controlled trials. *Osteoarthritis Cartilage.* 2008;16(2):254-260.

Capsaicin Study Group. Treatment of painful diabetic neuropathy with topical capsaicin. A multicenter, double-blind, vehicle-controlled study. *Arch Intern Med.* 1991 Nov;151(11):2225-9.

Cassidy JD, Boyle E, Cote P, Hogg-Johnson S, Bondy SJ, Haldeman S. Risk of Carotid Stroke after Chiropractic Care: A Population-Based Case-Crossover Study. *J Stroke Cerebrovasc Dis.* 2017;26(4):842-850.

Cibere J, Kopec JA, Thorne A, et al. Randomized, double-blind, placebo-controlled glucosamine discontinuation trial in knee osteoarthritis. *Arthritis and rheumatism.* 2004;51(5):738-745.

Clegg DO, Reda DJ, Harris CL, et al. Glucosamine, chondroitin sulfate, and the two in combination for painful knee osteoarthritis. *N Engl J Med.* 2006;354(8):795-808.

Clegg DO, Reda DJ, Harris CL, Klein MA, O'Dell JR, Hooper MM, et al. Glucosamine, chondroitin sulfate, and the two in combination for painful knee osteoarthritis. *N Engl J Med.* 2006 Feb 23;354(8):795-808.

Coyle ME, Liang H, Wang K, Zhang AL, Guo X, Lu C, Xue CC. Acupuncture plus moxibustion for herpes zoster: A systematic review and meta-analysis of randomized controlled trials. *Derm Therapy*. 2017 Mar 24; 30 (4). doi: 10.1111/dth.12468

Deare JC, Zheng Z, Xue CC, Liu JP, Shang J, Scott SW, Littlejohn G. Acupuncture for treating fibromyalgia. *Cochrane Database Syst Rev*. 2013 May 31;(5):CD007070. doi: 10.1002/14651858.CD007070.pub2.

Dedov VN, Tran VH, Duke CC, Connor M, Christie MJ, Mandadi S, et al. Gingerols: a novel class of vanilloid receptor (VR1) agonists. *Br J Pharmacol*. 2002 Nov; 137(6): 793–798.

Dionne RA, Gordon SM, Moore PA. Prescribing Opioid Analgesics for Acute Dental Pain: Time to Change Clinical Practices in Response to Evidence and Misperceptions. *Compend Contin Educ Dent*. 2016 Jun;37(6):372-378;quiz379.

Dionne RA, Gordon SM. Changing paradigms for acute dental pain: Prevention is better than PRN. *California Dental Journal*. 2015; 43:655-662.

Dionne RA, Wirdzek PR, Fox PC, Dubner R. Suppression of postoperative pain by the combination of a nonsteroidal anti-inflammatory drug, flurbiprofen, and a long-acting local anesthetic, etidocaine. *J Am Dent Assoc*. 1984 Apr;108(4):598-601.

Eccleston C, Palermo TM, Williams AC, et al. Psychological therapies for the management of chronic and recurrent pain in children and adolescents. *Cochrane Database Syst Rev*. 2014(5):CD003968.

Eccleston C, Palermo TM, Williams AC, Lewandowski Holley A, Morley S, Fisher E, Law E. Psychological therapies for the management of chronic and recurrent pain in children and adolescents. *Cochrane Database Syst Rev*. 2014 May 5;(5):CD003968. doi: 10.1002/14651858.CD003968.pub4.

Fernandes AC, Duarte Moura DM, Da Silva LGD, De Almeida EO, Barbosa GAS. Acupuncture in Temporomandibular Disorder Myofascial Pain Treatment: A Systematic Review. *J Oral Facial Pain Headache*. 2017 Summer;31(3):225-232. doi: 10.11607/ofph.1719.

Franke H, Franke JD, Fryer G. Osteopathic manipulative treatment for nonspecific low back pain: a systematic review and meta-analysis. *BMC Musculoskelet Disord*. 2014;15:286.

Fransen M, McConnell S, Harmer AR, Van der Esch M, Simic M, Bennell KL. Exercise for osteoarthritis of the knee: a Cochrane systematic review. *Br J Sports Med*. 2015;49(24):1554-1557.

Fransen M, McConnell S, Harmer AR, Van der Esch M, Simic M, Bennell KL. Exercise for osteoarthritis of the knee. *Cochrane Database Syst Rev*. 2015;1:CD004376.

Fransen M, McConnell S, Hernandez-Molina G, Reichenbach S. Exercise for osteoarthritis of the hip. *Cochrane Database Syst Rev*. 2014(4):CD007912.

Gallagher B, Tjoumakaris FP, Harwood MI, Good RP, Ciccotti MG, Freedman KB. Chondroprotection and the prevention of osteoarthritis progression of the knee: a systematic review of treatment agents. *Am J Sports Med.* 2015;43(3):734-744.

Gallagher B, Tjoumakaris FP, Harwood MI, Good RP, Ciccotti MG, Freedman KB. Chondroprotection and the Prevention of Osteoarthritis Progression of the Knee: A Systematic Review of Treatment Agents. *Am J Sports Med.* 2014 May 27. pii: 0363546514533777.

Gibson W, Wand BM, O'Connell NE. Transcutaneous electrical nerve stimulation (TENS) for neuropathic pain in adults. *Cochrane Database Syst Rev.* 2017;9:CD011976.

Gibson W, Wand BM, O'Connell NE. Transcutaneous electrical nerve stimulation (TENS) for neuropathic pain in adults. *Cochrane Database Syst Rev.* 2017 Sep 14;9:CD011976. doi: 10.1002/14651858.CD011976.pub2

Gordon SM, Brahim JS, Dubner R, McCullagh LM, Sang C, Dionne RA. Attenuation of pain in a randomized trial by suppression of peripheral nociceptive activity in the immediate postoperative period. *Anesth Analg.* 2002 Nov;95(5):1351-7, table of contents.

Gross A, Langevin P, Burnie SJ, et al. Manipulation and mobilisation for neck pain contrasted against an inactive control or another active treatment. *Cochrane Database Syst Rev.* 2015(9):CD004249.

Gunter BR, Butler KA, Wallace RL, Smith SM, Harirforoosh S. Non-steroidal anti-inflammatory drug-induced cardiovascular adverse events: a meta-analysis. *J Clin Pharm Ther.* 2017 Feb; 42: 27–38. doi:10.1111/jcpt.12484

Han T, Bai J, Liu W, Hu Y. A systematic review and meta-analysis of α -lipoic acid in the treatment of diabetic peripheral neuropathy. *Eur J Endocrinol.* 2012 Oct;167(4):465-71. doi: 10.1530/EJE-12-0555.

Hawkins D. How a short letter in a prestigious journal contributed to the opioid crisis. *Washington Post.* 2017 Jun 2. https://www.washingtonpost.com/news/morning-mix/wp/2017/06/02/how-the-opioid-crisis-traces-back-to-a-five-sentence-scholarly-letter-from-1980/?utm_term=.dd1dcece8bd7.

Hochberg MC, Martel-Pelletier J, Monfort J, et al. Combined chondroitin sulfate and glucosamine for painful knee osteoarthritis: a multicentre, randomised, double-blind, non-inferiority trial versus celecoxib. *Ann Rheum Dis.* 2016;75(1):37-44.

Hochberg MC, Martel-Pelletier J, Monfort J, Möller I, Castillo JR, Arden N, et al. Combined chondroitin sulfate and glucosamine for painful knee osteoarthritis: a multicentre, randomised, double-blind, non-inferiority trial versus celecoxib. *Ann Rheum Dis.* 2016 Jan;75(1):37-44.

Ip S, Jeong R, Schaeffer DF, Yoshida EM. Unusual case of drug-induced cholestasis due to glucosamine and chondroitin sulfate. *World J Hepatol.* 2015 Oct 28; 7(24): 2559–2562. doi: 10.4254/wjh.v7.i24.2559

- Johnson MI, Claydon LS, Herbison GP, Jones G, Paley CA. Transcutaneous electrical nerve stimulation (TENS) for fibromyalgia in adults. *Cochrane Database Syst Rev.* 2017;10:CD012172.
- Khan AA, Brahim JS, Rowan JS, Dionne RA. In vivo selectivity of a selective cyclooxygenase 2 inhibitor in the oral surgery model. *Clin Pharmacol Ther.* 2002 Jul;72(1):44-9.
- Krivoy N, Pavlotzky E, Chrubasik S, et al. Effect of salicis cortex extract on human platelet aggregation. *Planta Med.* 2001;67:209–12.
- Lakhan SE, Ford CT, Tepper D. *Zingiberaceae* extracts for pain: a systematic review and meta-analysis. *Nutr J.* 2015; 14: 50. doi: 10.1186/s12937-015-0038-8
- Lee YS, Kim H, Wu TX, Wang XM, Dionne RA. Genetically mediated interindividual variation in analgesic responses to cyclooxygenase inhibitory drugs. *Clin Pharmacol Ther.* 2006 May;79(5):407-18.
- Li S, Li Q, Li Y, Li L, Tian H, Sun X. Acetyl-L-carnitine in the treatment of peripheral neuropathic pain: a systematic review and meta-analysis of randomized controlled trials. *PLoS One.* 2015 Mar 9;10(3):e0119479. doi: 10.1371/journal.pone.0119479. eCollection 2015.
- Lugo JP, Saiyed ZM, Lane NE. Efficacy and tolerability of an undenatured type II collagen supplement in modulating knee osteoarthritis symptoms: a multicenter randomized, double-blind, placebo-controlled study. *Nutrition journal.* 2016;15:14.
- Martel-Pelletier J, Roubille C, Abram F, Hochberg MC, Dorais M, Delorme P, et al. First-line analysis of the effects of treatment on progression of structural changes in knee osteoarthritis over 24 months: data from the osteoarthritis initiative progression cohort. *Ann Rheum Dis.* 2015 Mar;74(3):547-56. doi: 10.1136/annrheumdis-2013-203906. Epub 2013 Dec 13.
- McCarty DJ, Csuka M, McCarthy G, Trotter D. Treatment of pain due to fibromyalgia with topical capsaicin: A pilot study. *Seminars in Arthritis & Rheumatism.* 1994 Jun; 23(6)3:41-47.
- McCormack PL. Capsaicin dermal patch: in non-diabetic peripheral neuropathic pain. *Drugs.* 2010 Oct 1;70(14):1831-42. doi: 10.2165/11206050-000000000-00000.
- Meyer RA, Campbell JN, Raja SN. Hyperalgesia following peripheral nerve injury. In: LM Pubols LM, BJ Sessle BJ, Effects of injury on Trigeminal and Spinal Somatosensory Systems. *Neurology and Neurobiology.* 1987;30:383-388.
- Moore PA, Dionne RA, Cooper SA, Hersh EV. Why do we prescribe Vicodin? *JADA.* 2016 July. 147(7): 530-533. <http://dx.doi.org/10.1016/j.adaj.2016.05.005>
- Oltean H, Robbins C, van Tulder MW, Berman BM, Bombardier C, Gagnier JJ. Herbal medicine for low-back pain. *Cochrane Database Syst Rev.* 2014 Dec 23;(12):CD004504. doi: 10.1002/14651858.CD004504.pub4.

Osteras N, Kjekken I, Smedslund G, et al. Exercise for Hand Osteoarthritis: A Cochrane Systematic Review. *J Rheumatol*. 2017.

Paige NM, Miake-Lye IM, Booth MS, et al. Association of Spinal Manipulative Therapy With Clinical Benefit and Harm for Acute Low Back Pain: Systematic Review and Meta-analysis. *JAMA*. 2017;317(14):1451-1460.

Paley CA, Johnson MI, Tashani OA, Bagnall AM. Acupuncture for cancer pain in adults. *Cochrane Database Syst Rev*. 2015(10):CD007753.

Paley CA, Johnson MI, Tashani OA, Bagnall AM. Acupuncture for cancer pain in adults. *Cochrane Database Syst Rev*. 2015 Oct 15;(10):CD007753.

Rayati F, Hajmanouchehri F, Najafi E. Comparison of anti-inflammatory and analgesic effects of Ginger powder and Ibuprofen in postsurgical pain model: A randomized, double-blind, case-control clinical trial. *Dent Res J (Isfahan)*. 2017 Jan-Feb;14(1):1-7.

Roman-Blas JA, Castaneda S, Sanchez-Pernaute O, Largo R, Herrero-Beaumont G, Group CGCTS. Combined Treatment With Chondroitin Sulfate and Glucosamine Sulfate Shows No Superiority Over Placebo for Reduction of Joint Pain and Functional Impairment in Patients With Knee Osteoarthritis: A Six-Month Multicenter, Randomized, Double-Blind, Placebo-Controlled Clinical Trial. *Arthritis Rheumatol*. 2017;69(1):77-85.

Roman-Blas JA, Castañeda S, Sánchez-Pernaute O, Largo R, Herrero-Beaumont G; CS/GS Combined Therapy Study Group. Combined Treatment With Chondroitin Sulfate and Glucosamine Sulfate Shows No Superiority Over Placebo for Reduction of Joint Pain and Functional Impairment in Patients With Knee Osteoarthritis: A Six-Month Multicenter, Randomized, Double-Blind, Placebo-Controlled Clinical Trial. *Arthritis Rheumatol*. 2017 Jan;69(1):77-85. doi: 10.1002/art.39819.

Rubinstein SM, Terwee CB, Assendelft WJ, de Boer MR, van Tulder MW. Spinal manipulative therapy for acute low back pain: an update of the cochrane review. *Spine (Phila Pa 1976)*. 2013;38(3):E158-177.

Rutjes AW, Nüesch E, Reichenbach S, Jüni P. S-Adenosylmethionine for osteoarthritis of the knee or hip. *Cochrane Database Syst Rev*. 2009 Oct 7;(4):CD007321. doi: 10.1002/14651858.CD007321.pub2.

Sampath KK, Mani R, Miyamori T, Tumilty S. The effects of manual therapy or exercise therapy or both in people with hip osteoarthritis: a systematic review and meta-analysis. *Clinical rehabilitation*. 2016;30(12):1141-1155.

Saper RB, Lemaster C, Delitto A, et al. Yoga, Physical Therapy, or Education for Chronic Low Back Pain: A Randomized Noninferiority Trial. *Ann Intern Med*. 2017;167(2):85-94.

Shang Q, Yin Y, Zhu L, Li G, Yu G, Wang X. Degradation of chondroitin sulfate by the gut microbiota of Chinese individuals. *Int J Biol Macromol*. 2016;86:112-118.

Shang Q, Yin Y, Zhu L, Li G, Yu G, Wang X. Degradation of chondroitin sulfate by the gut microbiota of Chinese individuals. *Int J Biol Macromol*. 2016 Jan 19;86:112-118. doi: 10.1016/j.ijbiomac.2016.01.055.

Shirvani MA1, Motahari-Tabari N, Alipour A. The effect of mefenamic acid and ginger on pain relief in primary dysmenorrhea: a randomized clinical trial. *Arch Gynecol Obstet*. 2015 Jun;291(6):1277-81. doi: 10.1007/s00404-014-3548-2. Epub 2014 Nov 16.

Singh JA, Noorbaloochi S, MacDonald R, Maxwell LJ. Chondroitin for osteoarthritis. *Cochrane Database Syst Rev*. 2015;1:CD005614.

Singh JA, Noorbaloochi S, MacDonald R, Maxwell LJ. Chondroitin for osteoarthritis. *Cochrane Database Syst Rev*. 2015 Jan 28;1:CD005614. doi: 10.1002/14651858.CD005614.pub2.

Soeken KL, Lee WL, Bausell RB, Agelli M, Berman BM. Safety and efficacy of S-adenosylmethionine (SAME) for osteoarthritis. *J Fam Pract*. 2002 May;51(5):425-30.

Terry R, Posadzki P, Watson LK, Ernst E. The use of ginger (*Zingiber officinale*) for the treatment of pain: a systematic review of clinical trials. *Pain Med*. 2011 Dec;12(12):1808-18. doi: 10.1111/j.1526-4637.2011.01261.x. Epub 2011 Nov 4.

Wieland LS, Skoetz N, Pilkington K, Vempati R, D'Adamo CR, Berman BM. Yoga treatment for chronic non-specific low back pain. *Cochrane Database Syst Rev*. 2017;1:CD010671.

Williams AC, Eccleston C, Morley S. Psychological therapies for the management of chronic pain (excluding headache) in adults. *Cochrane Database Syst Rev*. 2012;11:CD007407.

Williams AC, Eccleston C, Morley S. Psychological therapies for the management of chronic pain (excluding headache) in adults. *Cochrane Database Syst Rev*. 2012 Nov 14;11:CD007407. doi: 10.1002/14651858.CD007407.pub3.

Wu P, Mills E, Moher D, Seely D. Acupuncture in poststroke rehabilitation: a systematic review and meta-analysis of randomized trials. *Stroke*. 2010 Apr;41(4):e171-9. doi: 10.1161/STROKEAHA.109.573576. Epub 2010 Feb 18.

Xu Q, Pan J, Yu J, Liu X, Liu L, Zuo X, et al. Meta-analysis of methylcobalamin alone and in combination with lipoic acid in patients with diabetic peripheral neuropathy. *Diabetes Res Clin Pract*. 2013 Aug;101(2):99-105. doi: 10.1016/j.diabres.2013.03.033. Epub 2013 May 9.

Xu Y, Zhao W, Li T, Zhao Y, Bu H, Song S. Effects of acupuncture for the treatment of endometriosis-related pain: A systematic review and meta-analysis. *PLoS One*. 2017 Oct 27;12(10):e0186616. doi: 10.1371/journal.pone.0186616. eCollection 2017.

Yamato TP, Maher CG, Saragiotto BT, et al. Pilates for low back pain. *Cochrane Database Syst Rev*. 2015(7):CD010265.

Ziegler D, Low PA, Litchy WJ, Boulton AJ, Vinik AI, Freeman R. Efficacy and safety of antioxidant treatment with α -lipoic acid over 4 years in diabetic polyneuropathy: the NATHAN 1 trial. *Diabetes Care*. 2011 Sep;34(9):2054-60. doi: 10.2337/dc11-0503. Epub 2011 Jul 20.

